

SERVICE
MANUAL



CONTENTS

SPECIFICATIONS1
DIMENSIONS10
REFRIGERANT SYSTEM DIAGRAM ... 19
CIRCUIT DIAGRAM20
OUTDOOR PCB CIRCUIT DIAGRAM... 26
INDOOR PCB CIRCUIT DIAGRAM... 29
ERROR DETECTION.....58
PARTS (OUTDOOR UNIT) 61
PARTS (INDOOR UNIT) 65
ACCESSORIES124

| Outdoor unit | Indoor unit |
|--------------|------------------------|
| AOYG30LAT4 | ASYG07LJCA AUYG07LVLA |
| | ASYG09LJCA AUYG09LVLA |
| | ASYG12LJCA AUYG12LVLA |
| | ASYG07LUCA AUYG14LVLA |
| | ASYG09LUCA AUYG18LVLA |
| | ASYG12LUCA AUYG12LVLB |
| | ASYG14LUCA AUYG14LVLB |
| | ASYG07LMCA AUYG18LVLB |
| | ASYG09LMCA UTG-UFYD-W |
| | ASYG12LMCA AGYG09LVCA |
| | ASYG14LMCA AGYG12LVCA |
| | ASYG07LMCE AGYG14LVCA |
| | ASYG09LMCE ARYG07LLTA |
| | ASYG12LMCE ARYG09LLTA |
| | ASYG14LMCE ARYG12LLTA |
| | ASYG07KMCC ARYG14LLTA |
| | ASYG09KMCC ARYG18LLTA |
| | ASYG12KMCC ARYG12LLTB |
| | ASYG14KMCC ARYG14LLTB |
| | ASYG18LFCA ARYG18LLTB |
| | ASYG24LFCA ARYG07LSLAP |
| | ASYG24LFCC ARYG09LSLAP |
| | ARYG12LSLAP |
| | ARYG14LSLAP |
| | ARYG18LSLAP |
| | ABYG14LVTA |
| | ABYG18LVTA |
| | ABYG18LVTB |

SPECIFICATIONS

OUTDOOR UNIT

ELECTRICAL SPECIFICATIONS

| | | |
|----------------------|---------|--------------------------|
| TYPE | | Four room multi inverter |
| MODEL NAME | | AOYG30LAT4 |
| COOLING CAPACITY | | 8.0 kW |
| HEATING CAPACITY | | 9.6 kW |
| POWER SUPPLY | | 230 V |
| FREQUENCY | | 50 Hz |
| RUNNING CURRENT | Cooling | 9.7 A |
| | Heating | 10.5 A |
| INPUT | Cooling | 2.22 kW |
| | Heating | 2.40 kW |
| E.E.R. | Cooling | 3.60 kW/kW |
| | Heating | 4.00 kW/kW |
| AIR CIRCULATION HIGH | Cooling | 3,500 m3/hr |
| | Heating | 3,300 m3/hr |

FAN MOTOR

| | |
|----------------|------------|
| DISCRIMINATION | MFE-60TVT |
| COOLING | 820 r.p.m. |
| HEATING | 780 r.p.m. |

NOISE LEVEL

| | |
|---------|------|
| COOLING | 50dB |
| HEATING | 51dB |

COMPRESSOR AND REFRIGERANT

| | | |
|--------------------------------------|------------------------|--|
| TYPE | | Hermetic type, Inverter, 4 poles, 3-phase, DC motor, Twin Rotary |
| DISCRIMINATION | | TNB220FPBMT |
| WEIGHT (with oil) | | 14.3 kg |
| PRECHARGED REFRIGERANT | | 3,300 g |
| REFRIGERANT TYPE | | R410A |
| FULL CHARGE | Total Pipe Length 50 m | 3,300 g |
| | 60 m | 3,550 g |
| | 70 m | 3,800 g |
| ADDITIONAL CHARGE | | 25 g/m |
| MAXIMUM PIPE LENGTH (total) | | 70 m |
| MINIMUM PIPE LENGTH (total) | | 20 m |
| MAXIMUM PIPE LENGTH (each unit) | | 25 m |
| MINIMUM PIPE LENGTH (each unit) | | 5 m |
| MAX ELEVATION (between indoor units) | | 10 m |
| (between indoor and outdoor units) | | 15 m |

MEASUREMENT

| | | |
|------------|----------------|--------------------|
| DIMENSIONS | H x W x D | 830 x 900 x 330 mm |
| WEIGHT | Net / Shipping | 68 kg / 75 kg |

INDOOR UNIT COMPACT WALL MOUNTED

ELECTRICAL DATA

| | | | |
|------------|--------------|--------------|--------------|
| MODEL NAME | ASYG07LJCA | ASYG09LJCA | ASYG12LJCA |
| CAPACITY | 2.0 kW class | 2.5 kW class | 3.5 kW class |

FAN MOTOR

| DISCRIMINATION | | | MFD-12TYAN | | |
|----------------|---------|--------|--------------|--------------|--------------|
| FAN SPEED | Cooling | High | 1,050 r.p.m. | 1,100 r.p.m. | 1,200 r.p.m. |
| | | Medium | 950 r.p.m. | 980 r.p.m. | 1,050 r.p.m. |
| | | Low | 850 r.p.m. | 850 r.p.m. | 880 r.p.m. |
| | | Quiet | 710 r.p.m. | 710 r.p.m. | 710 r.p.m. |
| | Heating | High | 1,050 r.p.m. | 1,100 r.p.m. | 1,200 r.p.m. |
| | | Medium | 950 r.p.m. | 980 r.p.m. | 1,050 r.p.m. |
| | | Low | 850 r.p.m. | 850 r.p.m. | 910 r.p.m. |
| | | Quiet | 720 r.p.m. | 720 r.p.m. | 720 r.p.m. |
| AIR FLOW | Cooling | High | 560 m³/h | 600 m³/h | 660 m³/h |
| | | Medium | 500 m³/h | 520 m³/h | 560 m³/h |
| | | Low | 430 m³/h | 430 m³/h | 450 m³/h |
| | | Quiet | 310 m³/h | 310 m³/h | 310 m³/h |
| | Heating | High | 560 m³/h | 600 m³/h | 660 m³/h |
| | | Medium | 500 m³/h | 520 m³/h | 560 m³/h |
| | | Low | 430 m³/h | 430 m³/h | 470 m³/h |
| | | Quiet | 330 m³/h | 330 m³/h | 330 m³/h |
| NOISE LEVEL | Cooling | High | 36 dB(A) | 37 dB(A) | 40 dB(A) |
| | | Medium | 32 dB(A) | 33 dB(A) | 36 dB(A) |
| | | Low | 29 dB(A) | 29 dB(A) | 30 dB(A) |
| | | Quiet | 21 dB(A) | 21 dB(A) | 21 dB(A) |
| | Heating | High | 36 dB(A) | 37 dB(A) | 40 dB(A) |
| | | Medium | 32 dB(A) | 33 dB(A) | 36 dB(A) |
| | | Low | 29 dB(A) | 29 dB(A) | 31 dB(A) |
| | | Quiet | 22 dB(A) | 22 dB(A) | 22 dB(A) |

MEASUREMENTS

| | | |
|------------|----------------|--------------------|
| DIMENSIONS | H x W x D | 280 x 790 x 203 mm |
| WEIGHT | Net / Shipping | 8.0 kg / 10.5 kg |

INDOOR UNIT COMPACT WALL MOUNTED

ELECTRICAL DATA

| | | | | |
|------------|--------------|--------------|--------------|--------------|
| MODEL NAME | ASYG07LUCA | ASYG09LUCA | ASYG12LUCA | ASYG14LUCA |
| CAPACITY | 2.0 kW class | 2.5 kW class | 3.5 kW class | 4.0 kW class |

FAN MOTOR

| DISCRIMINATION | | | MFE-60TVT | | | |
|----------------|---------|--------|------------|--------------|--------------|--------------|
| FAN SPEED | Cooling | High | 980 r.p.m. | 1,030 r.p.m. | 1,110 r.p.m. | 1,180 r.p.m. |
| | | Medium | 910 r.p.m. | 950 r.p.m. | 1,030 r.p.m. | 1,080 r.p.m. |
| | | Low | 850 r.p.m. | 850 r.p.m. | 930 r.p.m. | 980 r.p.m. |
| | | Quiet | 650 r.p.m. | 650 r.p.m. | 650 r.p.m. | 740 r.p.m. |
| | Heating | High | 980 r.p.m. | 1,030 r.p.m. | 1,110 r.p.m. | 1,180 r.p.m. |
| | | Medium | 910 r.p.m. | 950 r.p.m. | 1,030 r.p.m. | 1,080 r.p.m. |
| | | Low | 850 r.p.m. | 850 r.p.m. | 930 r.p.m. | 1,010 r.p.m. |
| | | Quiet | 650 r.p.m. | 650 r.p.m. | 650 r.p.m. | 790 r.p.m. |
| AIR FLOW | Cooling | High | 570 m³/h | 600 m³/h | 660 m³/h | 710 m³/h |
| | | Medium | 520 m³/h | 550 m³/h | 600 m³/h | 640 m³/h |
| | | Low | 470 m³/h | 470 m³/h | 530 m³/h | 570 m³/h |
| | | Quiet | 330 m³/h | 330 m³/h | 330 m³/h | 390 m³/h |
| | Heating | High | 570 m³/h | 600 m³/h | 660 m³/h | 710 m³/h |
| | | Medium | 520 m³/h | 550 m³/h | 600 m³/h | 640 m³/h |
| | | Low | 470 m³/h | 470 m³/h | 530 m³/h | 590 m³/h |
| | | Quiet | 330 m³/h | 330 m³/h | 330 m³/h | 430 m³/h |
| NOISE LEVEL | Cooling | High | 35 dB(A) | 36 dB(A) | 37 dB(A) | 41 dB(A) |
| | | Medium | 30 dB(A) | 32 dB(A) | 34 dB(A) | 36 dB(A) |
| | | Low | 28 dB(A) | 28 dB(A) | 31 dB(A) | 33 dB(A) |
| | | Quiet | 21 dB(A) | 21 dB(A) | 21 dB(A) | 25 dB(A) |
| | Heating | High | 35 dB(A) | 36 dB(A) | 37 dB(A) | 41 dB(A) |
| | | Medium | 30 dB(A) | 32 dB(A) | 34 dB(A) | 36 dB(A) |
| | | Low | 28 dB(A) | 28 dB(A) | 31 dB(A) | 34 dB(A) |
| | | Quiet | 21 dB(A) | 21 dB(A) | 21 dB(A) | 27 dB(A) |

MEASUREMENTS

| | | |
|------------|----------------|--------------------|
| DIMENSIONS | H x W x D | 282 x 870 x 185 mm |
| WEIGHT | Net / Shipping | 9.5 kg / 12.0 kg |

INDOOR UNIT COMPACT WALL MOUNTED

ELECTRICAL DATA

| | | | | |
|------------|--------------|--------------|--------------|--------------|
| MODEL NAME | ASYG07LMCA | ASYG09LMCA | ASYG12LMCA | ASYG14LMCA |
| CAPACITY | 2.0 kW class | 2.5 kW class | 3.5 kW class | 4.0 kW class |

FAN MOTOR

| DISCRIMINATION | | | MFD-12CYN | | | |
|----------------|---------|--------|--------------|--------------|--------------|--------------|
| FAN SPEED | Cooling | High | 1,050 r.p.m. | 1,090 r.p.m. | 1,190 r.p.m. | 1,280 r.p.m. |
| | | Medium | 950 r.p.m. | 980 r.p.m. | 1,050 r.p.m. | 1,120 r.p.m. |
| | | Low | 850 r.p.m. | 850 r.p.m. | 880 r.p.m. | 1,050 r.p.m. |
| | | Quiet | 680 r.p.m. | 680 r.p.m. | 680 r.p.m. | 750 r.p.m. |
| | Heating | High | 1,050 r.p.m. | 1,090 r.p.m. | 1,190 r.p.m. | 1,280 r.p.m. |
| | | Medium | 950 r.p.m. | 980 r.p.m. | 1,050 r.p.m. | 1,120 r.p.m. |
| | | Low | 850 r.p.m. | 850 r.p.m. | 910 r.p.m. | 1,040 r.p.m. |
| | | Quiet | 710 r.p.m. | 710 r.p.m. | 710 r.p.m. | 770 r.p.m. |
| AIR FLOW | Cooling | High | 560 m³/h | 600 m³/h | 660 m³/h | 730 m³/h |
| | | Medium | 500 m³/h | 520 m³/h | 560 m³/h | 600 m³/h |
| | | Low | 430 m³/h | 430 m³/h | 450 m³/h | 530 m³/h |
| | | Quiet | 310 m³/h | 310 m³/h | 310 m³/h | 360 m³/h |
| | Heating | High | 560 m³/h | 600 m³/h | 660 m³/h | 730 m³/h |
| | | Medium | 500 m³/h | 520 m³/h | 560 m³/h | 615 m³/h |
| | | Low | 430 m³/h | 430 m³/h | 470 m³/h | 560 m³/h |
| | | Quiet | 330 m³/h | 330 m³/h | 330 m³/h | 375 m³/h |
| NOISE LEVEL | Cooling | High | 36 dB(A) | 37 dB(A) | 40 dB(A) | 42 dB(A) |
| | | Medium | 32 dB(A) | 33 dB(A) | 36 dB(A) | 38 dB(A) |
| | | Low | 29 dB(A) | 29 dB(A) | 30 dB(A) | 33 dB(A) |
| | | Quiet | 21 dB(A) | 21 dB(A) | 21 dB(A) | 25 dB(A) |
| | Heating | High | 36 dB(A) | 37 dB(A) | 40 dB(A) | 42 dB(A) |
| | | Medium | 32 dB(A) | 33 dB(A) | 36 dB(A) | 38 dB(A) |
| | | Low | 29 dB(A) | 29 dB(A) | 31 dB(A) | 35 dB(A) |
| | | Quiet | 22 dB(A) | 22 dB(A) | 22 dB(A) | 27 dB(A) |

MEASUREMENTS

| | | |
|------------|----------------|--------------------|
| DIMENSIONS | H x W x D | 268 x 840 x 203 mm |
| WEIGHT | Net / Shipping | 8.5 kg / 10.5 kg |

INDOOR UNIT WALL MOUNTED

ELECTRICAL DATA

| | | | |
|------------|--------------|--------------|--------------|
| MODEL NAME | ASYG18LFCA | ASYG24LFCA | ASYG24LFCC |
| CAPACITY | 5.0 kW class | 7.0 kW class | 7.0 kW class |

FAN MOTOR

| DISCRIMINATION | | | MFD-50RON | | MFD-71TXAN |
|----------------|---------|--------|--------------|--------------|--------------|
| FAN SPEED | Cooling | High | 1,250 r.p.m. | 1,480 r.p.m. | 1,480 r.p.m. |
| | | Medium | 1,020 r.p.m. | 1,220 r.p.m. | 1,220 r.p.m. |
| | | Low | 900 r.p.m. | 1,020 r.p.m. | 1,020 r.p.m. |
| | | Quiet | 770 r.p.m. | 900 r.p.m. | 860 r.p.m. |
| | Heating | High | 1,250 r.p.m. | 1,430 r.p.m. | 1,480 r.p.m. |
| | | Medium | 1,020 r.p.m. | 1,220 r.p.m. | 1,220 r.p.m. |
| | | Low | 900 r.p.m. | 1,020 r.p.m. | 1,020 r.p.m. |
| | | Quiet | 790 r.p.m. | 900 r.p.m. | 860 r.p.m. |
| AIR FLOW | Cooling | High | 920 m³/h | 1,120 m³/h | 1,120 m³/h |
| | | Medium | 740 m³/h | 900 m³/h | 900 m³/h |
| | | Low | 620 m³/h | 740 m³/h | 740 m³/h |
| | | Quiet | 550 m³/h | 620 m³/h | 620 m³/h |
| | Heating | High | 920 m³/h | 1100 m³/h | 1100 m³/h |
| | | Medium | 740 m³/h | 900 m³/h | 900 m³/h |
| | | Low | 620 m³/h | 740 m³/h | 740 m³/h |
| | | Quiet | 550 m³/h | 620 m³/h | 620 m³/h |
| NOISE LEVEL | Cooling | High | 43 dB(A) | 49 dB(A) | 49 dB(A) |
| | | Medium | 37 dB(A) | 42 dB(A) | 42 dB(A) |
| | | Low | 33 dB(A) | 37 dB(A) | 37 dB(A) |
| | | Quiet | 26 dB(A) | 33 dB(A) | 33 dB(A) |
| | Heating | High | 42 dB(A) | 48 dB(A) | 48 dB(A) |
| | | Medium | 37 dB(A) | 42 dB(A) | 42 dB(A) |
| | | Low | 33 dB(A) | 37 dB(A) | 37 dB(A) |
| | | Quiet | 25 dB(A) | 33 dB(A) | 33 dB(A) |

MEASUREMENTS

| | | |
|------------|----------------|--------------------|
| DIMENSIONS | H x W x D | 320 x 998 x 238 mm |
| WEIGHT | Net / Shipping | 14 kg / 18 kg |

| Model name | | | | ASYG07KMCC | ASYG09KMCC | ASYG12KMCC | ASYG14KMCC | |
|--|------------------------|---------|----------|---|------------|------------|--|-----|
| Power supply | | | | 1Ø 230 V ~50 Hz | | | | |
| Available voltage range | | | | 198—264 V | | | | |
| Capacity | | | kW class | 2.0 | 2.5 | 3.5 | 4.0 | |
| Input power | | | W | 23 | 27 | | 33 | |
| Running current | | | A | 0.20 | 0.24 | | 0.30 | |
| Fan | Airflow rate | Cooling | HIGH | m³/h | 650 | 700 | 700 | 770 |
| | | | MED | | 540 | 560 | 560 | 600 |
| | | | LOW | | 430 | 430 | 430 | 450 |
| | | | QUIET | | 320 | 320 | 320 | 310 |
| | | Heating | HIGH | | 720 | 750 | 780 | 820 |
| | | | MED | | 580 | 610 | 640 | 660 |
| | | | LOW | | 460 | 470 | 520 | 520 |
| | | | QUIET | | 330 | 330 | 330 | 340 |
| | Type × Q'ty | | | Crossflow fan × 1 | | | | |
| | Motor output | | | W | 30 | 30 | 30 | 49 |
| Sound pressure level *1 | Cooling | HIGH | dB (A) | 38 | 40 | 40 | 43 | |
| | | MED | | 33 | 34 | 35 | 36 | |
| | | LOW | | 29 | 29 | 30 | 30 | |
| | | QUIET | | 21 | 21 | 21 | 21 | |
| | Heating | HIGH | | 41 | 42 | 42 | 44 | |
| | | MED | | 35 | 36 | 38 | 39 | |
| | | LOW | | 31 | 31 | 33 | 33 | |
| | | QUIET | | 22 | 22 | 22 | 24 | |
| Heat exchanger type | Dimensions (H × W × D) | | mm | Main1: 210 × 670 × 26.6 Main2: 112 × 670 × 20 | | | Main1: 210 × 670 × 26.6 Main2: 112 × 670 × 20 Sub: 84 × 670 × 13.3 | |
| | Fin pitch | | | Man1: 1.2, Main2: 1.1 | | | Man1: 1.2, Main2: 1.1, Sub: 1.4 | |
| | Rows × Stages | | | Main1: 2 × 10, Main2: 2 × 7 | | | Main1: 2 × 10, Main2: 2 × 7, Sub: 1 × 4 | |
| | Pipe type | | | Copper tube | | | | |
| | Fin type | | | Aluminum | | | | |
| Enclosure | Material | | | Polystyrene | | | | |
| | Color | | | White + Pearl white (painted) Approximate color of Munsell N 9.25/ | | | | |
| Dimensions (H × W × D) | Net | | mm | 270 × 834 × 222 | | | | |
| | Gross | | | 277 × 914 × 332 | | | | |
| Weight | Net | | kg | 10.0 | | | | |
| | Gross | | | 12.5 | | | 13.0 | |
| Connection pipe | Size | Liquid | mm (in) | Ø 6.35 (Ø 1/4) | | | | |
| | | Gas | | Ø 9.52 (Ø 3/8) | | | | |
| Drain hose | Method | | | Flare | | | | |
| | Material | | | PP+HDPE | | | | |
| Operation range | Tip diameter | | mm | Ø 11.8 (I.D.), Ø 15.0 to Ø 16.8 (O.D.) | | | | |
| | Cooling | °C | | 18 to 32 | | | | |
| | | %RH | | 80 or less | | | | |
| Remote controller type | Heating | | °C | | 16 to 30 | | | |
| | | | | Wireless (Wired, Mobile app*2 [FGLair™] [option]) | | | | |
| NOTES: <ul style="list-style-type: none">• The protective function might work when using it outside the operation range.• *1: Sound pressure level:<ul style="list-style-type: none">— These are the measured values in the manufacturer's anechoic chamber.— Because of the surrounding sound environment, the sound levels measured in actual installation conditions might be higher than the specified values here.• *2: Available on Google Play™ store or on App Store®. Optional WLAN adapter is also required. For details, refer to the setting manual. | | | | | | | | |

INDOOR UNIT COMPACT CASSETTE

ELECTRICAL DATA

| | | | | | |
|------------|--------------|--------------|--------------------------|--------------------------|--------------------------|
| MODEL NAME | AUYG07LVLA | AUYG09LVLA | AUYG12LVLA AUYG12LVLB | AUYG14LVLA AUYG14LVLB | AUYG18LVLA AUYG18LVLB |
| CAPACITY | 2.0 kW class | 2.5 kW class | 3.5 kW class | 4.0 kW class | 5.0 kW class |

FAN MOTOR

| DISCRIMINATION | | | MFF-24RVL | | | | |
|----------------|---------|--------|------------|------------|------------|------------|------------|
| FAN SPEED | Cooling | High | 590 r.p.m. | 590 r.p.m. | 660 r.p.m. | 730 r.p.m. | 790 r.p.m. |
| | | Medium | 540 r.p.m. | 540 r.p.m. | 580 r.p.m. | 630 r.p.m. | 660 r.p.m. |
| | | Low | 490 r.p.m. | 490 r.p.m. | 520 r.p.m. | 540 r.p.m. | 570 r.p.m. |
| | | Quiet | 440 r.p.m. | 440 r.p.m. | 460 r.p.m. | 460 r.p.m. | 460 r.p.m. |
| | Heating | High | 590 r.p.m. | 590 r.p.m. | 650 r.p.m. | 740 r.p.m. | 840 r.p.m. |
| | | Medium | 540 r.p.m. | 540 r.p.m. | 580 r.p.m. | 670 r.p.m. | 750 r.p.m. |
| | | Low | 490 r.p.m. | 490 r.p.m. | 520 r.p.m. | 600 r.p.m. | 650 r.p.m. |
| | | Quiet | 440 r.p.m. | 440 r.p.m. | 460 r.p.m. | 480 r.p.m. | 500 r.p.m. |
| AIR FLOW | Cooling | High | 540 m³/h | 540 m³/h | 610 m³/h | 680 m³/h | 750 m³/h |
| | | Medium | 490 m³/h | 490 m³/h | 530 m³/h | 580 m³/h | 610 m³/h |
| | | Low | 440 m³/h | 440 m³/h | 470 m³/h | 490 m³/h | 520 m³/h |
| | | Quiet | 390 m³/h | 390 m³/h | 410 m³/h | 410 m³/h | 410 m³/h |
| | Heating | High | 540 m³/h | 540 m³/h | 610 m³/h | 700 m³/h | 800 m³/h |
| | | Medium | 490 m³/h | 490 m³/h | 530 m³/h | 620 m³/h | 710 m³/h |
| | | Low | 440 m³/h | 440 m³/h | 470 m³/h | 550 m³/h | 600 m³/h |
| | | Quiet | 390 m³/h | 390 m³/h | 410 m³/h | 430 m³/h | 450 m³/h |
| NOISE LEVEL | Cooling | High | 33 dB(A) | 33 dB(A) | 37 dB(A) | 40 dB(A) | 42 dB(A) |
| | | Medium | 31 dB(A) | 31 dB(A) | 33 dB(A) | 35 dB(A) | 37 dB(A) |
| | | Low | 29 dB(A) | 29 dB(A) | 31 dB(A) | 32 dB(A) | 33 dB(A) |
| | | Quiet | 27 dB(A) | 27 dB(A) | 28 dB(A) | 29 dB(A) | 29 dB(A) |
| | Heating | High | 34 dB(A) | 34 dB(A) | 37 dB(A) | 40 dB(A) | 44 dB(A) |
| | | Medium | 32 dB(A) | 32 dB(A) | 33 dB(A) | 37 dB(A) | 40 dB(A) |
| | | Low | 29 dB(A) | 29 dB(A) | 31 dB(A) | 34 dB(A) | 37 dB(A) |
| | | Quiet | 27 dB(A) | 27 dB(A) | 28 dB(A) | 29 dB(A) | 30 dB(A) |

MEASUREMENTS

| | | |
|------------|----------------|--------------------|
| DIMENSIONS | H x W x D | 245 x 570 x 570 mm |
| WEIGHT | Net / Shipping | 15 kg / 18 kg |

PANEL

MEASUREMENTS

| | | |
|------------|----------------|-------------------|
| MODEL NAME | UTG-UFYD-W | |
| DIMENSIONS | H x W x D | 49 x 700 x 700 mm |
| WEIGHT | Net / Shipping | 2.6 kg / 4.5 kg |

INDOOR UNIT FLOOR

ELECTRICAL DATA

| | | | |
|------------|--------------|--------------|--------------|
| MODEL NAME | AGYG09LVCA | AGYG12LVCA | AGYG14LVCA |
| CAPACITY | 2.5 kW class | 3.5 kW class | 4.0 kW class |

FAN MOTOR (upper fan)

| DISCRIMINATION | | | MFD-14TXN | | |
|----------------|---------|--------|--------------|--------------|--------------|
| FAN SPEED | Cooling | High | 1,120 r.p.m. | 1,240 r.p.m. | 1,330 r.p.m. |
| | | Medium | 960 r.p.m. | 1,050 r.p.m. | 1,100 r.p.m. |
| | | Low | 820 r.p.m. | 860 r.p.m. | 890 r.p.m. |
| | | Quiet | 660 r.p.m. | 660 r.p.m. | 660 r.p.m. |
| | Heating | High | 1,120 r.p.m. | 1,240 r.p.m. | 1,330 r.p.m. |
| | | Medium | 1,000 r.p.m. | 1,080 r.p.m. | 1,140 r.p.m. |
| | | Low | 860 r.p.m. | 910 r.p.m. | 940 r.p.m. |
| | | Quiet | 660 r.p.m. | 660 r.p.m. | 660 r.p.m. |

FAN MOTOR (lower fan)

| DISCRIMINATION | | | MFD-14SXN | | |
|----------------|---------|--------|------------|--------------|--------------|
| FAN SPEED | Cooling | High | 950 r.p.m. | 1,050 r.p.m. | 1,120 r.p.m. |
| | | Medium | 820 r.p.m. | 890 r.p.m. | 930 r.p.m. |
| | | Low | 700 r.p.m. | 730 r.p.m. | 750 r.p.m. |
| | | Quiet | 560 r.p.m. | 560 r.p.m. | 560 r.p.m. |
| | Heating | High | 950 r.p.m. | 1,050 r.p.m. | 1,120 r.p.m. |
| | | Medium | 850 r.p.m. | 920 r.p.m. | 970 r.p.m. |
| | | Low | 730 r.p.m. | 770 r.p.m. | 800 r.p.m. |
| | | Quiet | 560 r.p.m. | 560 r.p.m. | 560 r.p.m. |

2 FAN RUNNING

| | | | | | |
|----------------------------|---------|--------|-----------|-----------|-----------|
| AIR CIRCULATION HIGH | Cooling | High | 530 m3/hr | 600 m3/hr | 650 m3/hr |
| | | Medium | 440 m3/hr | 490 m3/hr | 520 m3/hr |
| | | Low | 360 m3/hr | 380 m3/hr | 400 m3/hr |
| | | Quiet | 270 m3/hr | 270 m3/hr | 270 m3/hr |
| | Heating | High | 530 m3/hr | 600 m3/hr | 650 m3/hr |
| | | Medium | 460 m3/hr | 510 m3/hr | 540 m3/hr |
| | | Low | 380 m3/hr | 440 m3/hr | 430 m3/hr |
| | | Quiet | 270 m3/hr | 270 m3/hr | 270 m3/hr |
| NOISE LEVEL | Cooling | High | 39 dB(A) | 42 dB(A) | 44 dB(A) |
| | | Medium | 34 dB(A) | 36 dB(A) | 38 dB(A) |
| | | Low | 28 dB(A) | 30 dB(A) | 31 dB(A) |
| | | Quiet | 22 dB(A) | 22 dB(A) | 22 dB(A) |
| | Heating | High | 39 dB(A) | 42 dB(A) | 44 dB(A) |
| | | Medium | 35 dB(A) | 38 dB(A) | 39 dB(A) |
| | | Low | 30 dB(A) | 32 dB(A) | 33 dB(A) |
| | | Quiet | 22 dB(A) | 22 dB(A) | 22 dB(A) |

MEASUREMENT

| | | |
|------------|----------------|--------------------|
| DIMENSIONS | H x W x D | 600 x 740 x 200 mm |
| WEIGHT | Net / Shipping | 14 kg / 17 kg |

INDOOR UNIT SLIM DUCT

ELECTRICAL DATA

| | | | | | |
|------------|--------------|--------------|--------------------------|--------------------------|--------------------------|
| MODEL NAME | ARYG07LLTA | ARYG09LLTA | ARYG12LLTA ARYG12LLTB | ARYG14LLTA ARYG14LLTB | ARYG18LLTA ARYG18LLTB |
| CAPACITY | 2.0 kW class | 2.5 kW class | 3.5 kW class | 4.0 kW class | 5.0 kW class |

FAN MOTOR

| DISCRIMINATION | | | MFG-09WVL | MFG-14WVAL | | | MFG-24WVAL |
|----------------|---------|--------|--------------|--------------|--------------|--------------|--------------|
| FAN SPEED | Cooling | High | 1,160 r.p.m. | 1,260 r.p.m. | 1,340 r.p.m. | 1,560 r.p.m. | 1,380 r.p.m. |
| | | Medium | 1,000 r.p.m. | 1,160 r.p.m. | 1,240 r.p.m. | 1,400 r.p.m. | 1,300 r.p.m. |
| | | Low | 940 r.p.m. | 1,060 r.p.m. | 1,140 r.p.m. | 1,240 r.p.m. | 1,220 r.p.m. |
| | | Quiet | 880 r.p.m. | 960 r.p.m. | 1,030 r.p.m. | 1,030 r.p.m. | 1,140 r.p.m. |
| | Heating | High | 1,160 r.p.m. | 1,260 r.p.m. | 1,340 r.p.m. | 1,560 r.p.m. | 1,380 r.p.m. |
| | | Medium | 1,000 r.p.m. | 1,160 r.p.m. | 1,240 r.p.m. | 1,400 r.p.m. | 1,300 r.p.m. |
| | | Low | 940 r.p.m. | 1,060 r.p.m. | 1,140 r.p.m. | 1,240 r.p.m. | 1,220 r.p.m. |
| | | Quiet | 880 r.p.m. | 960 r.p.m. | 1,030 r.p.m. | 1,030 r.p.m. | 1,140 r.p.m. |
| AIR FLOW | Cooling | High | 550 m³/h | 600 m³/h | 650 m³/h | 800 m³/h | 940 m³/h |
| | | Medium | 490 m³/h | 550 m³/h | 600 m³/h | 700 m³/h | 880 m³/h |
| | | Low | 470 m³/h | 500 m³/h | 550 m³/h | 600 m³/h | 820 m³/h |
| | | Quiet | 440 m³/h | 450 m³/h | 480 m³/h | 480 m³/h | 750 m³/h |
| | Heating | High | 550 m³/h | 600 m³/h | 650 m³/h | 800 m³/h | 940 m³/h |
| | | Medium | 490 m³/h | 550 m³/h | 600 m³/h | 700 m³/h | 880 m³/h |
| | | Low | 470 m³/h | 500 m³/h | 550 m³/h | 600 m³/h | 820 m³/h |
| | | Quiet | 440 m³/h | 450 m³/h | 480 m³/h | 480 m³/h | 750 m³/h |
| NOISE LEVEL | Cooling | High | 28 dB(A) | 28 dB(A) | 29 dB(A) | 32 dB(A) | 32 dB(A) |
| | | Medium | 26 dB(A) | 27 dB(A) | 28 dB(A) | 30 dB(A) | 31 dB(A) |
| | | Low | 25 dB(A) | 26 dB(A) | 27 dB(A) | 28 dB(A) | 30 dB(A) |
| | | Quiet | 24 dB(A) | 25 dB(A) | 26 dB(A) | 26 dB(A) | 29 dB(A) |
| | Heating | High | 28 dB(A) | 28 dB(A) | 29 dB(A) | 33 dB(A) | 33 dB(A) |
| | | Medium | 26 dB(A) | 26 dB(A) | 28 dB(A) | 30 dB(A) | 32 dB(A) |
| | | Low | 25 dB(A) | 25 dB(A) | 27 dB(A) | 28 dB(A) | 31 dB(A) |
| | | Quiet | 24 dB(A) | 24 dB(A) | 24 dB(A) | 25 dB(A) | 29 dB(A) |

MEASUREMENTS

| | | | | | |
|------------|----------------|--------------------|---------------|--|-----------------|
| DIMENSIONS | H x W x D | 198 x 700 x 620 mm | | | 198 x 900 x 620 |
| WEIGHT | Net / Shipping | 17 kg / 24 kg | 19 kg / 26 kg | | 23 kg / 30 kg |

INDOOR UNIT
FLOOR / CEILING

ELECTRICAL DATA

| | | |
|------------|--------------|--------------------------|
| MODEL NAME | ABYG14LVTA | ABYG18LVTA ABYG18LVTB |
| CAPACITY | 4.0 kW class | 5.00 kW class |

FAN MOTOR

| DISCRIMINATION | | | MFH-24RVL | |
|----------------|---------|--------|-----------------------|-----------------------|
| FAN SPEED | Cooling | High | 1,380 r.p.m. | 1,460 r.p.m. |
| | | Medium | 1,300 r.p.m. | 1,360 r.p.m. |
| | | Low | 1,220 r.p.m. | 1,260 r.p.m. |
| | | Quiet | 1,140 r.p.m. | 1,180 r.p.m. |
| | Heating | High | 1,380 r.p.m. | 1,460 r.p.m. |
| | | Medium | 1,300 r.p.m. | 1,360 r.p.m. |
| | | Low | 1,220 r.p.m. | 1,260 r.p.m. |
| | | Quiet | 1,140 r.p.m. | 1,180 r.p.m. |
| AIR FLOW | Cooling | High | 640 m ³ /h | 780 m ³ /h |
| | | Medium | 590 m ³ /h | 700 m ³ /h |
| | | Low | 540 m ³ /h | 560 m ³ /h |
| | | Quiet | 480 m ³ /h | 500 m ³ /h |
| | Heating | High | 640 m ³ /h | 780 m ³ /h |
| | | Medium | 590 m ³ /h | 700 m ³ /h |
| | | Low | 540 m ³ /h | 560 m ³ /h |
| | | Quiet | 480 m ³ /h | 500 m ³ /h |
| NOISE LEVEL | Cooling | High | 36 dB(A) | 41 dB(A) |
| | | Medium | 34 dB(A) | 38 dB(A) |
| | | Low | 33 dB(A) | 34 dB(A) |
| | | Quiet | 29 dB(A) | 32 dB(A) |
| | Heating | High | 36 dB(A) | 41 dB(A) |
| | | Medium | 34 dB(A) | 38 dB(A) |
| | | Low | 33 dB(A) | 34 dB(A) |
| | | Quiet | 29 dB(A) | 32 dB(A) |

MEASUREMENTS

| | | |
|------------|----------------|--------------------|
| DIMENSIONS | H x W x D | 199 x 990 x 655 mm |
| WEIGHT | Net / Shipping | 27 kg / 36 kg |

| | | | | |
|-----------------------|--------------------|------------|------------|------------|
| MODEL NAME | ASYG07LMCE | ASYG09LMCE | ASYG12LMCE | ASYG14LMCE |
| DIMENSIONS H x W x D | 270 x 870 x 204 mm | | | |
| WEIGHT Net / Shipping | 8.5 kg / 11.0 kg | | | |
| FAN MOTOR | MFD-12CYBL | | | |

FAN REVOLUTION

| | | | | | |
|---------|--------|-----------|-----------|-----------|-----------|
| Cooling | High | 1,320 rpm | 1,320 rpm | 1,320 rpm | 1,360 rpm |
| | Medium | 1,160 rpm | 1,160 rpm | 1,160 rpm | 1,220 rpm |
| | Low | 930 rpm | 930 rpm | 930 rpm | 990 rpm |
| | Quiet | 680 rpm | 680 rpm | 680 rpm | 750 rpm |
| Heating | High | 1,320 rpm | 1,320 rpm | 1,320 rpm | 1,360 rpm |
| | Medium | 1,160 rpm | 1,160 rpm | 1,160 rpm | 1,220 rpm |
| | Low | 980 rpm | 980 rpm | 980 rpm | 1,040 rpm |
| | Quiet | 710 rpm | 710 rpm | 710 rpm | 790 rpm |

AIR FLOW





| | | | | | |
|---------|--------|----------|----------|----------|----------|
| Cooling | High | 560 m³/h | 600 m³/h | 660 m³/h | 730 m³/h |
| | Medium | 500 m³/h | 520 m³/h | 560 m³/h | 600 m³/h |
| | Low | 430 m³/h | 430 m³/h | 450 m³/h | 530 m³/h |
| | Quiet | 310 m³/h | 310 m³/h | 310 m³/h | 360 m³/h |
| Heating | High | 560 m³/h | 600 m³/h | 660 m³/h | 730 m³/h |
| | Medium | 500 m³/h | 520 m³/h | 560 m³/h | 615 m³/h |
| | Low | 430 m³/h | 430 m³/h | 470 m³/h | 560 m³/h |
| | Quiet | 330 m³/h | 330 m³/h | 330 m³/h | 375 m³/h |

NOISE LEVEL



| | | | | | |
|---------|--------|-------|-------|-------|-------|
| Cooling | High | 36 dB | 37 dB | 40 dB | 42 dB |
| | Medium | 32 dB | 33 dB | 36 dB | 38 dB |
| | Low | 29 dB | 29 dB | 30 dB | 33 dB |
| | Quiet | 21 dB | 21 dB | 21 dB | 25 dB |
| Heating | High | 36 dB | 37 dB | 40 dB | 42 dB |
| | Medium | 32 dB | 33 dB | 36 dB | 38 dB |
| | Low | 29 dB | 29 dB | 31 dB | 35 dB |
| | Quiet | 22 dB | 22 dB | 22 dB | 27 dB |

DIMENSIONS

OUTDOOR UNIT





INDOOR UNIT
COMPACT WALL MOUNTED
ASYG07LJCA
ASYG09LJCA
ASYG12LJCA




*1: Vertical flap is downward

INDOOR UNIT
COMPACT WALL MOUNTED
ASYG07LUCA
ASYG09LUCA
ASYG12LUCA
ASYG14LUCA





Drain hose length : 600 mm

INDOOR UNIT
 COMPACT WALL MOUNTED
 ASYG07LMCA
 ASYG09LMCA
 ASYG12LMCA
 ASYG14LMCA




Drain hose




Inside : 13.8 mm

INDOOR UNIT
 WALL MOUNTED
 ASYG18LFCA
 ASYG24LFCA
 ASYG24LFCC



Models: ASYG07KMCC, ASYG09KMCC, ASYG12KMCC, and ASYG14KMCC

Unit: mm



INDOOR UNIT COMPACT CASSETTE

AUYG07LVLA


AUYG09LVLA

AUYG12LVLA AUYG12LVLB


AUYG14LVLA AUYG14LVLB

AUYG18LVLA AUYG18LVLB



Unit : mm




Top view




Side view






Bottom view





Side view




INDOOR UNIT
FLOOR
AGYG09LVCA
AGYG12LVCA
AGYG14LVCA




INDOOR UNIT
FLOOR / CEILING
ABYG14LVTA
ABYG18LVTA
ABYG18LVTB




Rear view










INDOOR UNIT
SLIM DUCT
ARYG07LLTA
ARYG09LLTA
ARYG12LLTA
ARYG14LLTA
ARYG12LLTB
ARYG14LLTB
(Serial number : T)




INDOOR UNIT
SLIM DUCT
ARYG18LLTA
ARYG18LLTB
(Serial number : T)










INDOOR UNIT
SLIM DUCT
ARYG07LLTA
ARYG09LLTA
ARYG12LLTB
ARYG14LLTB
(Serial number : R)





INDOOR UNIT
SLIM DUCT
ARYG18LLTB
(Serial number : R)



INDOOR UNIT
 COMPACT WALL MOUNTED
 ASYG07LMCE
 ASYG09LMCE
 ASYG12LMCE
 ASYG14LMCE




Drain hose



REFRIGERANT SYSTEM DIAGRAM


OUTDOOR UNIT



OUTDOOR UNIT





INDOOR UNIT
COMPACT WALL MOUNTED
ASYG07LJCA
ASYG09LJCA
ASYG12LJCA



COMMUNICATION KIT
UTY-XCBXZ1
COMMUNICATION PCB


The limitation is option of
ASYG07, 09 and 12LJCA

INDOOR UNIT
COMPACT WALL MOUNTED
ASYG07LUCA
ASYG09LUCA
ASYG12LUCA
ASYG14LUCA



REMOTE CONTROL (OPTION)

TO MAIN PCB



EX OUT (OPTION)
ERROR STATUS


EX OUT (OPTION)
OPERATION STATUS

EX IN (OPTION)


TEST

EX. OUT
(OPTION)


EX. IN
(OPTION)



Models: ASYG07KMCC, ASYG09KMCC, ASYG12KMCC, and ASYG14KMCC



INDOOR UNIT
COMPACT CASSETTE
AUYG07LVLA
AUYG09LVLA
AUYG12LVLA
AUYG14LVLA
AUYG18LVLA
AUYG12LVLB
AUYG14LVLB
AUYG18LVLB



INDOOR UNIT
FLOOR
AGYG09LVCA
AGYG12LVCA
AGYG14LVCA

(SWITCH PCB)


THERMISTOR
(PIPE TEMP.)



THERMISTOR
(ROOM TEMP.)

DAMPER LIMIT
SWITCH (OPEN)

DAMPER LIMIT
SWITCH (CLOSE)


WIRED REMOTE
CONTROL (OPTION)








OUTDOOR UNIT
CONTROLLER PCB ASSEMBLY (MAIN PCB)
K11BY-1204HUE-C1




OUTDOOR UNIT POWER SUPPLY PCB ASSEMBLY K04BA-0402HUE-P0




INDOOR PCB CIRCUIT DIAGRAM

COMPACT WALL MOUNTED
CONTROL UNIT
ASYG07LJCA : EZ-01235HSE
ASYG09LJCA : EZ-01236HSE
ASYG12LJCA : EZ-01237HSE




INDOOR UNIT
COMPACT WALL MOUNTED
MAIN PCB
ASYG07LJCA : K09DS-1208HSE-C1
ASYG09LJCA : K09DS-1209HSE-C1
ASYG12LJCA : K09DS-120AHSE-C1




INDOOR UNIT
COMPACT WALL MOUNTED
ASYG07LJCA
ASYG09LJCA
ASYG12LJCA

INDICATOR PCB
K07BJ-0900HSD-D0




TO MAIN PCB




(Option)
Communication kit
UTY-XCBXZ1
for ASYG07LJCA
ASYG09LJCA
ASYG12LJCA


COMMUNICATION PCB
K08DG-0801HSE-CA0



INDOOR UNIT
 COMPACT WALL MOUNTED
 CONTROL UNIT
 ASYG07LUCA : EZ-0121CHSE
 ASYG09LUCA : EZ-0121DHSE
 ASYG12LUCA : EZ-0121EHSE
 ASYG14LUCA : EZ-0121FHSE




INDOOR UNIT
 COMPACT WALL MOUNTED
 ASYG07LUCA
 ASYG09LUCA
 ASYG12LUCA
 ASYG14LUCA
 INDICATOR PCB
 K10CX-1000HSE-D0




Models : ASYG07LMCA
ASYG07LMCE
ASYG09LMCA
ASYG09LMCE
ASYG12LMCA
ASYG12LMCE
ASYG14LMCA
ASYG14LMCE


CONTROL UNIT
ASYG07LMCA : EZ-0124CHSE
ASYG07LMCE : EZ-0124CHSE
ASYG09LMCA : EZ-0120MHSE
ASYG09LMCE : EZ-0120MHSE
ASYG12LMCA : EZ-0120SHSE
ASYG12LMCE : EZ-0120SHSE
ASYG14LMCA : EZ-0124DHSE
ASYG14LMCE : EZ-0124DHSE



INDOOR UNIT
 COMPACT WALL MOUNTED
 MAIN PCB
 ASYG07LMCA : K12JY-1202HSE-C1
 ASYG09LMCA : K12JY-1200HSE-C1
 ASYG12LMCA : K12JY-1201HSE-C1
 ASYG14LMCA : K12JY-1203HSE-C1




INDOOR UNIT
 COMPACT WALL MOUNTED
 ASYG07LMCA
 ASYG09LMCA
 ASYG12LMCA
 ASYG14LMCA
 INDICATOR PCB
 K12JZ-1200HSE-D0




Models : ASYG07KMCC
ASYG09KMCC
ASYG12KMCC
ASYG14KMCC

CONTROL UNIT


ASYG07KMCC : EZ-019CHSE
ASYG09KMCC : EZ-019DHSE
ASYG12KMCC : EZ-019EHSE
ASYG14KMCC : EZ-019FHSE




INDOOR UNIT
WALL MOUNTED
CONTROL UNIT
ASYG18LFCA : EZ-1212HSE
ASYG24LFCA : EZ-1238HSE
ASYG24LFCC : EZ-1211HSE



INDOOR UNIT
WALL MOUNTED
MAIN PCB
ASYG18LFCA : K09DR-1206HSE-C1
ASYG24LFCA : K09DR-1209HSE-C1
ASYG24LFCC : K09DR-1207HSE-C1




INDOOR UNIT
WALL MOUNTED
ASYG18LFCA
ASYG24LFCA
ASYG24LFCC
INDICATOR PCB
K05CY-0902HSE-D0



INDOOR UNIT
 COMPACT CASSETTE
 CONTROL UNIT
 AUYG07LVLA : EZ-0122FHSE
 AUYG09LVLA : EZ-0122GHSE
 AUYG12LVLA : EZ-01006HSE
 AUYG14LVLA : EZ-01007HSE
 AUYG18LVLA : EZ-01008HSE
 AUYG12LVLB : EZ-0122HHSE
 AUYG14LVLB : EZ-0122KHSE
 AUYG18LVLB : EZ-0122LHSE

MAIN PCB
 AUYG07LVLA : K06AK-1214HSE-C1
 AUYG09LVLA : K06AK-1215HSE-C1
 AUYG12LVLA : K06AK-1009HSE-C1
 AUYG14LVLA : K06AK-100AHSE-C1
 AUYG18LVLA : K06AK-100BHSE-C1
 AUYG12LVLB : K06AK-1216HSE-C1
 AUYG14LVLB : K06AK-1217HSE-C1
 AUYG18LVLB : K06AK-1218HSE-C1




AUYG07LVLA : K06AK-1214HSE-C1
AUYG09LVLA : K06AK-1215HSE-C1
AUYG12LVLA : K06AK-1009HSE-C1
AUYG14LVLA : K06AK-100AHSE-C1
AUYG18LVLA : K06AK-100BHSE-C1


ARYG18LLTA : K06AK-100GHSE-C1

ARYG18LLTB : K06AK-120RHSE-C1







INDOOR UNIT
 COMPACT CASSETTE
 AUYG07LVLA
 AUYG09LVLA
 AUYG12LVLA
 AUYG14LVLA
 AUYG18LVLA
 AUYG12LVLB
 AUYG14LVLB
 AUYG18LVLB
 INDICATOR PCB (OPTION)
 K06AG-1000HSE-D0



INDICATOR PCB ASSEMBLY (SWITCH + DISPLAY)
K06DD-0801HSE-F0




INDOOR UNIT
FLOOR
MAIN PCB
AGYG09LVCA : K09DD-1200HSE-C1
AGYG12LVCA : K09DD-1201HSE-C1
AGYG14LVCA : K09DD-1202HSE-C1



INDOOR UNIT
FLOOR
AGYG09LVCA
AGYG12LVCA
AGYG14LVCA

INDICATOR PCB
K06DD-0801HSE-F0




INDOOR UNIT
SLIM DUCT
CONTROL UNIT


ARYG07LLTA : EZ-01009HSE
ARYG09LLTA : EZ-0100AHSE
ARYG12LLTA : EZ-0100BHSE
ARYG14LLTA : EZ-0100CHSE
ARYG18LLTA : EZ-0100DHSE
ARYG12LLTB : EZ-01110HSE
ARYG14LLTB : EZ-01111HSE
ARYG18LLTB : EZ-01112HSE
(Serial number : T)

ARYG07LLTA : EZ-01222HSE
ARYG09LLTA : EZ-01223HSE
ARYG12LLTB : EZ-01224HSE
ARYG14LLTB : EZ-01225HSE
ARYG18LLTB : EZ-01226HSE
(Serial number : R)

MAIN PCB
ARYG07LLTA : K06AK-100CHSE-C1
ARYG09LLTA : K06AK-100DHSE-C1
ARYG12LLTA : K06AK-100EHSE-C1
ARYG14LLTA : K06AK-100FHSE-C1
ARYG18LLTA : K06AK-100GHSE-C1
ARYG12LLTB : K06AK-1101HSE-C1
ARYG14LLTB : K06AK-1102HSE-C1
ARYG18LLTB : K06AK-1103HSE-C1
(Serial number : T)

ARYG07LLTA : K06AK-120KHSE-C1
ARYG09LLTA : K06AK-120LHSE-C1
ARYG12LLTB : K06AK-120MHSE-C1
ARYG14LLTB : K06AK-120PHSE-C1
ARYG18LLTB : K06AK-120RHSE-C1
(Serial number : R)







INDOOR UNIT
SLIM DUCT
ARYG07LLTA
ARYG09LLTA
ARYG12LLTA
ARYG14LLTA
ARYG18LLTA
ARYG12LLTB
ARYG14LLTB
ARYG18LLTB
POWER SUPPLY PCB
K06AL-1008HSE-P0


INDOOR UNIT
SLIM DUCT
ARYG07LLTA
ARYG09LLTA
ARYG12LLTA
ARYG14LLTA
ARYG18LLTA
ARYG12LLTB
ARYG14LLTB
ARYG18LLTB

INDICATOR PCB (OPTION)
K04EI-1000HSE-D0




INDOOR UNIT
FLOOR / CEILING
CONTROL UNIT
ABYG14LVTA : EZ-0122AHSE
ABYG18LVTA : EZ-0100GHSE
ABYG18LVTB : EZ-0122BHSE





INDOOR UNIT
FLOOR / CEILING
ABYG14LVTA
ABYG18LVTA
ABYG18LVTB
INDICATOR PCB
(OPTION)
K04EI-1001HSE-D0



ERROR DETECTION


● : flashing

— : Off

OUTDOOR UNIT


| | LED 1 | LED 2 | LED 3 | LED 4 |
|---|------------|-----------|-----------|-----------|
| Communication error (outdoor unit to indoor unit A) | ● 1 time | — | — | — |
| Communication error (outdoor unit to indoor unit B) | — | ● 1 time | — | — |
| Communication error (outdoor unit to indoor unit C) | — | — | ● 1 time | — |
| Communication error (outdoor unit to indoor unit D) | — | — | — | ● 1 time |
| Discharge pipe thermistor | ● 2 times | — | — | — |
| Outdoor unit, heat exchanger thermistor (middle) | ● 3 times | — | — | — |
| Outdoor thermistor error | ● 4 times | — | — | — |
| 2-way valve thermistor (indoor unit A) | ● 5 times | — | — | — |
| 2-way valve thermistor (indoor unit B) | — | ● 5 times | — | — |
| 2-way valve thermistor (indoor unit C) | — | — | ● 5 times | — |
| 2-way valve thermistor (indoor unit D) | — | — | — | ● 5 times |
| 3-way valve thermistor (indoor unit A) | ● 6 times | — | — | — |
| 3-way valve thermistor (indoor unit B) | — | ● 6 times | — | — |
| 3-way valve thermistor (indoor unit C) | — | — | ● 6 times | — |
| 3-way valve thermistor (indoor unit D) | — | — | — | ● 6 times |
| Compressor thermistor error | ● 7 times | — | — | — |
| Heatsink thermistor error | ● 8 times | — | — | — |
| High pressure switch 1 error | ● 9 times | — | — | — |
| High pressure switch 2 error | ● 10 times | — | — | — |
| Indoor unit capacity error | ● 11 times | — | — | — |
| Trip detection | ● 12 times | — | — | — |
| Compressor roter position detetion error | ● 13 times | — | — | — |
| Trip terminal L error | ● 14 times | — | — | — |
| Outdoor unit fan motor error | ● 15 times | — | — | — |
| Outdoor unit PCB microcomputer communication error | ● 17 times | — | — | — |
| Discharge temperature error | ● 18 times | — | — | — |
| Compressor temperature error | ● 19 times | — | — | — |
| 4-way valve error | ● 20 times | — | — | — |
| Outdoor unit PCB model information error | ● 21 times | — | — | — |
| Active filter error, PFC circuit error | ● 22 times | — | — | — |

INDOOR UNIT
REMOTE CONTROL




SIMPLE REMOTE CONTROL

If an error occurs, the following display will be shown.
("Er" will appear in the set room temperature display.)
If "Er" is displayed, immediately contact authorized service personnel.




WIRED REMOTE CONTROL

If an error occurs, the following display will be shown.
("Er" will appear in the set room temperature display.)
If "Er" is displayed, immediately contact authorized service personnel.



CENTRAL REMOTE CONTROL

To show which indoor unit is the error displayed.
indoor unit's name and "ERROR" are alternately shown.
(0.5s indoor unit's name / 0.5s "ERROR")



Ex. Error display

- : 0.5s ON / 0.5s OFF
- ◇ : 0.1s ON / 0.1s OFF
- () : Number of flashing

| Indoor unit lamps | | | Wired remote control | Description |
|-------------------|----------------|-----------------|----------------------|---|
| OPERATION (green) | TIMER (orange) | ECONOMY (green) | | |
| ● (1) | ● (1) | ◇ | 11 | Serial communication error |
| ● (1) | ● (2) | ◇ | 12 | Wired remote control communication error |
| ● (1) | ● (5) | ◇ | 15 | Check run unfinished |
| ● (2) | ● (1) | ◇ | 21 | Unit number or Refrigerant circuit address setting error [Simultaneous Multi] |
| ● (2) | ● (2) | ◇ | 22 | Indoor unit capacity error |
| ● (2) | ● (3) | ◇ | 23 | Combination error |
| ● (2) | ● (4) | ◇ | 24 | •Connection unit number error (indoor unit) [Simultaneous Multi] •Connection unit number error (indoor unit or branch unit) [Flexible Multi] |
| ● (2) | ● (7) | ◇ | 27 | Master unit, slave unit set-up error [Simultaneous Multi] |
| ● (3) | ● (2) | ◇ | 32 | Indoor unit PCB model information error |
| ● (3) | ● (5) | ◇ | 35 | Manual auto switch error |
| ● (4) | ● (1) | ◇ | 41 | Room temp. sensor error |
| ● (4) | ● (2) | ◇ | 42 | Indoor unit Heat Ex. Middle temp. sensor error |
| ● (5) | ● (1) | ◇ | 51 | Indoor unit fan motor error |
| ● (5) | ● (3) | ◇ | 53 | Drain pump error |
| ● (5) | ● (7) | ◇ | 57 | Damper error |
| ● (5) | ● (8) | ◇ | 58 | Intake grill error |
| ● (5) | ● (15) | ◇ | 50 | Indoor unit error |
| ● (6) | ● (2) | ◇ | 62 | Outdoor unit main PCB model information error or communication error |
| ● (6) | ● (3) | ◇ | 63 | Inverter error |
| ● (6) | ● (4) | ◇ | 64 | Active filter error, PFC circuit error |
| ● (6) | ● (5) | ◇ | 65 | Trip terminal L error |
| ● (6) | ● (10) | ◇ | 6A | Display PCB microcomputers communication error |
| ● (7) | ● (1) | ◇ | 71 | Discharge temp. sensor error |
| ● (7) | ● (2) | ◇ | 72 | Compressor temp. sensor error |
| ● (7) | ● (3) | ◇ | 73 | Outdoor unit Heat Ex. liquid temp. sensor error |
| ● (7) | ● (4) | ◇ | 74 | Outdoor temp. sensor error |
| ● (7) | ● (5) | ◇ | 75 | Suction Gas temp. sensor error |
| ● (7) | ● (6) | ◇ | 76 | • 2-way valve temp. sensor error • 3-way valve temp. sensor error |
| ● (7) | ● (7) | ◇ | 77 | Heat sink temp. sensor error |
| ● (8) | ● (2) | ◇ | 82 | • Sub-cool Heat Ex. gas inlet temp. sensor error • Sub-cool Heat Ex. gas outlet temp. sensor error |
| ● (8) | ● (3) | ◇ | 83 | Liquid pipe temp. sensor error |
| ● (8) | ● (4) | ◇ | 84 | Current sensor error |
| ● (8) | ● (6) | ◇ | 86 | • Discharge pressure sensor error • Suction pressure sensor error • High pressure switch error |
| ● (9) | ● (4) | ◇ | 94 | Trip detection |
| ● (9) | ● (5) | ◇ | 95 | Compressor rotor position detection error (permanent stop) |
| ● (9) | ● (7) | ◇ | 97 | Outdoor unit fan motor error |
| ● (9) | ● (9) | ◇ | 99 | 4-way valve error |
| ● (10) | ● (1) | ◇ | A1 | Discharge temp. error |
| ● (10) | ● (3) | ◇ | A3 | Compressor temp. error |
| ● (10) | ● (4) | ◇ | A4 | High pressure error |
| ● (10) | ● (5) | ◇ | A5 | Low pressure error |
| ● (13) | ● (2) | ◇ | J2 | Branch boxes error |

Wall mounted KMCC type


If you use a wireless remote controller, the lamp on the photo detector unit will output error codes by way of blinking patterns. If you use a wired remote controller, error codes will appear on the remote control display. Refer to the lamp blinking patterns and error codes in the table. An error display is displayed only during operation.

| Error display | | | Error code | Description |
|------------------------|---------------------|----------------------|------------|---|
| OPERATION lamp (green) | TIMER lamp (orange) | ECONOMY lamp (green) | | |
| ●(1) | ●(1) | ◇ | 11 | Serial communication error |
| ●(1) | ●(2) | ◇ | 12 | • Wired remote controller communication error • Server room control communication error |
| ●(1) | ●(5) | ◇ | 15 | Check run unfinished Automatic airflow adjustment error |
| ●(1) | ●(6) | ◇ | 16 | Peripheral unit transmission PCB connection error |
| ●(1) | ●(8) | ◇ | 18 | External communication error |
| ●(2) | ●(1) | ◇ | 21 | Unit number or Refrigerant circuit address setting error [Simultaneous Multi] |
| ●(2) | ●(2) | ◇ | 22 | Indoor unit capacity error |
| ●(2) | ●(3) | ◇ | 23 | Combination error |
| ●(2) | ●(4) | ◇ | 24 | • Connection unit number error (indoor secondary unit) [Simultaneous Multi] • Connection unit number error (indoor unit or branch unit) [Flexible Multi] |
| ●(2) | ●(6) | ◇ | 26 | Indoor unit address setting error |
| ●(2) | ●(7) | ◇ | 27 | Primary unit, secondary unit setup error [Simultaneous Multi] |
| ●(2) | ●(9) | ◇ | 29 | Connection unit number error in wired remote controller system |
| ●(3) | ●(1) | ◇ | 31 | Power supply interruption error |
| ●(3) | ●(2) | ◇ | 32 | Indoor unit PCB model information error |
| ●(3) | ●(3) | ◇ | 33 | Indoor unit motor electricity consumption detection error |
| ●(3) | ●(5) | ◇ | 35 | Manual auto switch error |
| ●(3) | ●(9) | ◇ | 39 | Indoor unit power supply error for fan motor |
| ●(3) | ●(10) | ◇ | 3A | Indoor unit communication circuit (wired remote controller) error |
| ●(4) | ●(1) | ◇ | 41 | Room temp. sensor error |
| ●(4) | ●(2) | ◇ | 42 | Indoor unit heat ex. middle temp. sensor error |
| ●(4) | ●(4) | ◇ | 44 | Human sensor error |
| ●(5) | ●(1) | ◇ | 51 | Indoor unit fan motor error |
| ●(5) | ●(3) | ◇ | 53 | Drain pump error |
| ●(5) | ●(4) | ◇ | 54 | Electric air cleaner reverse VDD error |
| ●(5) | ●(5) | ◇ | 55 | Filter set error |
| ●(5) | ●(7) | ◇ | 57 | Damper error |
| ●(5) | ●(8) | ◇ | 58 | Intake grille error |
| ●(5) | ●(9) | ◇ | 59 | Indoor unit fan motor 2 error (Left side fan) |
| ●(5) | ●(10) | ◇ | 5A | Indoor unit fan motor 3 error (Right side fan) |
| ●(5) | ●(15) | ◇ | 5U | Indoor unit error |
| ●(6) | ●(1) | ◇ | 61 | Outdoor unit reverse/missing phase and wiring error |

| Error display | | | Error code | Description |
|------------------------|---------------------|----------------------|------------|---|
| OPERATION lamp (green) | TIMER lamp (orange) | ECONOMY lamp (green) | | |
| ●(6) | ●(2) | ◇ | 62 | Outdoor unit main PCB model information error or communication error |
| ●(6) | ●(3) | ◇ | 63 | Inverter error |
| ●(6) | ●(4) | ◇ | 64 | Active filter error, PFC circuit error |
| ●(6) | ●(5) | ◇ | 65 | Trip terminal L error |
| ●(6) | ●(8) | ◇ | 68 | Outdoor unit rush current limiting resistor temp. rise error |
| ●(6) | ●(10) | ◇ | 6A | Display PCB microcomputers communication error |
| ●(7) | ●(1) | ◇ | 71 | Discharge temp. sensor error |
| ●(7) | ●(2) | ◇ | 72 | Compressor temp. sensor error |
| ●(7) | ●(3) | ◇ | 73 | Outdoor unit Heat Ex. liquid temp. sensor error |
| ●(7) | ●(4) | ◇ | 74 | Outdoor temp. sensor error |
| ●(7) | ●(5) | ◇ | 75 | Suction Gas temp. sensor error |
| ●(7) | ●(6) | ◇ | 76 | • 2-way valve temp. sensor error • 3-way valve temp. sensor error |
| ●(7) | ●(7) | ◇ | 77 | Heat sink temp. sensor error |
| ●(8) | ●(2) | ◇ | 82 | • Sub-cool Heat Ex. gas inlet temp. sensor error • Sub-cool Heat Ex. gas outlet temp. sensor error |
| ●(8) | ●(3) | ◇ | 83 | Liquid pipe temp. sensor error |
| ●(8) | ●(4) | ◇ | 84 | Current sensor error |
| ●(8) | ●(6) | ◇ | 86 | • Discharge pressure sensor error • Suction pressure sensor error • High pressure switch error |
| ●(9) | ●(4) | ◇ | 94 | Trip detection |
| ●(9) | ●(5) | ◇ | 95 | Compressor rotor position detection error (permanent stop) |
| ●(9) | ●(7) | ◇ | 97 | Outdoor unit fan motor 1 error |
| ●(9) | ●(8) | ◇ | 98 | Outdoor unit fan motor 2 error |
| ●(9) | ●(9) | ◇ | 99 | 4-way valve error |
| ●(9) | ●(10) | ◇ | 9A | Coil (expansion valve) error |
| ●(10) | ●(1) | ◇ | A1 | Discharge temp. error |
| ●(10) | ●(3) | ◇ | A3 | Compressor temp. error |
| ●(10) | ●(4) | ◇ | A4 | High pressure error |
| ●(10) | ●(5) | ◇ | A5 | Low pressure error |
| ●(13) | ●(2) | ◇ | J2 | Branch boxes error [Flexible Multi] |

Display mode ● : 0.5s ON / 0.5s OFF
◇ : 0.1s ON / 0.1s OFF
() : Number of flashing

■ Error display on the indoor unit




OPERATION indicator lamp (green)

TIMER indicator lamp (orange)


ECONOMY indicator lamp (green)

PARTS

OUTDOOR UNIT




| Ref. | Description | Part number | |
|------|------------------------|--------------------------|--|
| 1 | Top Panel Sub Assy | 9374417025 | |
| 2 | Front Panel Sub Assy | 9374414116 | |
| 3 | Service Panel Sub Assy | 9374415038 | |
| 4 | Emblem Rear | 9351355005 | |
| 5 | Valve Cover Sub Assy | 9374827015 | |
| 6 | Right Panel Sub Assy | 9374416059 | |
| 7 | Thermo holder | 9374177011 | |
| 8 | Motor Bracket Sub Assy | 9374418053 | |
| 9 | DC Fan Motor | 9379385015 | |
| 10 | Propeller Fan Assy | 9366378020 9366378037 | |
| 11 | Drain Assy | 9303029015 | |
| 12 | Drain Cap | 313166024302 | |
| -- | Protective Net | 9375381011 | |





OUTDOOR UNIT


Connector :RED




| Ref. | Description | Part number |
|------|--------------------------------|-------------|
| 21 | Valve Plate A Assy | 9374628025 |
| 22 | 3-way Valve Assy (1/2") | 9378282018 |
| 23 | 3-way Valve Assy (3/8") | 9377958013 |
| 24 | 2-way Valve Assy | 9375614027 |
| 25 | Expansion Valve Assy | 9370947151 |
| 26 | Expansion Valve Coil (A=Red) | 9970101069 |
| 27 | Expansion Valve Coil (B=White) | 9970101038 |
| 28 | Expansion Valve Coil (C=Green) | 9970101045 |
| 29 | Expansion Valve Coil (D=Blue) | 9970101052 |
| 30 | Pipe Thermistor (White) | 9900543020 |
| 31 | Pipe Thermistor (Red) | 9900543013 |
| 32 | Choke Coil | 9703458019 |
| 33 | Condenser A Sub Assy | 9374420087 |




OUTDOOR UNIT



| Ref. | Description | Part number |
|------|------------------------------|-------------|
| 41 | Inlet Pipe Assy | 9373461067 |
| 42 | Outlet Pipe Assy | 9374266067 |
| 43 | Condensing Pipe A | 9372232057 |
| 44 | Compressor Assy | 9377946010 |
| 45 | Accumulator Sub Assy | 9374426072 |
| 46 | Capillary Assy | 9372197370 |
| 47 | Receiver Tank Sub Assy | 9373426028 |
| 48 | Pressure Switch Wire (Red) | 9367595037 |
| 49 | Pressure Switch Wire (White) | 9367595044 |
| 50 | Solenoid | 9900165055 |
| 51 | 4-way Valve Sub Assy | 9374425204 |
| 52 | 4-way Valve | 9900164010 |
| 53 | Pressure Switch | 9900186012 |
| 54 | Pressure Switch | 9900341015 |
| 55 | Discharge Pipe Assy | 9372264225 |
| -- | Strainer Assy | 9372524015 |




OUTDOOR UNIT



| Ref. | Description | Part number |
|------|---------------------------|-------------|
| 61 | Inverter Box A | 9374603015 |
| 62 | Inverter Box B Assy | 9374625031 |
| 63 | Inverter Box C | 9374605019 |
| 64 | Inverter Box Duct | 9374609017 |
| 65 | Inverter Box Cover | 9374608010 |
| 66 | Heat Sink A | 9374607013 |
| 67 | Inverter Box D | 9374606054 |
| 68 | Terminal (3P) | 9900203016 |
| 69 | Terminal (12P) | 9358660164 |
| 70 | Terminal | 9900433017 |
| 71 | ACTPM | 9703457012 |
| 72 | Power Supply PCB Assy | 9705647039 |
| 73 | Controller PCB Assy | 9709682715 |
| 74 | Heat Sink Thermistor | 9900311018 |
| 75 | Discharge Thermistor | 9900620004 |
| 76 | Thermistor (Outdoor) | 9900477035 |
| 77 | Heat Exchanger Thermistor | 9900540005 |
| 78 | Discharge Pipe Thermistor | 9900621001 |


PARTS

INDOOR UNIT
COMPACT WALL MOUNTED
ASYG07LJCA
ASYG09LJCA
ASYG12LJCA




| Ref | Description | Parts number |
|-----|------------------------|--------------|
| 1 | Front Panel Total Assy | 9318267174 |
| 2 | Front Panel | 9317642057 |
| 3 | Intake Grille Assy | 9318268034 |
| 4 | Clamber Grille | 9316906006 |
| 5 | Air Filter | 9317644013 |
| 6 | Receiver Window | 9317643016 |
| 7 | Panel Cover | 9317646017 |
| 8 | Wire Cover | 9317663007 |
| 9 | Wire Shield | 9317664011 |
| 10 | Bracket Panel | 9317665001 |
| 11 | Remote Control | 9379219006 |
| 12 | Remote Control Holder | 9305642045 |
| -- | Air Clean Filter Assy | 9317250009 |


INDOOR UNIT
COMPACT WALL MOUNTED
ASYG07LJCA
ASYG09LJCA
ASYG12LJCA



| Ref | Description | Parts number |
|-----|--------------------------|--------------|
| 21 | Evaporator Total Assy | 9317820011 |
| 22 | Joint Pipe Assy | 9317838009 |
| 23 | Filter Guide | 9317652001 |
| 24 | Rear Bracket | 9317651004 |
| 25 | Evaporator Holder R | 9317650014 |
| 26 | Evaporator Holder L | 9317649018 |
| 27 | Holder (Room Thermistor) | 9316895003 |
| 28 | Thermistor Assy | 9900563004 |




INDOOR UNIT
COMPACT WALL MOUNTED
ASYG07LJCA
ASYG09LJCA
ASYG12LJCA




| Ref | Description | Parts number | Ref | Description | Parts number |
|-----|--------------------|--------------|-----|--------------------|--------------|
| 31 | Casing Assy | 9318264050 | 41 | Gear A | 9309994003 |
| 32 | Casing | 9317647014 | 42 | Motor Step | 9900384128 |
| 33 | Motor Cover | 9316568006 | 43 | Drain Hose Assy | 9316904002 |
| 34 | Motor Cover | 9316601000 | 44 | Drain Cap | 9316177017 |
| 35 | Cable Guide | 9316567009 | 45 | Fan Guard | 9332277005 |
| 36 | Casing Cover B | 9317653015 | 46 | Fan Motor | 9602704002 |
| 37 | Casing Cover F | 9317654005 | 47 | Crossflow Fan Assy | 9316830004 |
| 38 | R AND L Louver B | 9316961012 | 48 | Bearing C Assy | 9306628017 |
| 39 | Louver Gear Holder | 9317669016 | 49 | Louver U | 9317656016 |
| 40 | Louver Gear | 9317648004 | 50 | Louver Z | 9317657006 |

INDOOR UNIT
COMPACT WALL MOUNTED
ASYG07LJCA
ASYG09LJCA
ASYG12LJCA




| Ref | Description | Parts number | |
|-----|------------------------------------|--------------|--|
| 51 | Control Box | 9318187007 | |
| 52 | Box Shield | 9317575010 | |
| 53 | Control Cover | 9317659017 | |
| 54 | Cover Shield | 9317923002 | |
| 55 | Main PCB (07) | 9708536378 | |
| 55 | Main PCB (09) | 9708536385 | |
| 55 | Main PCB (12) | 9708536392 | |
| --- | Display Assy (PCB+Display Case) | 9708364018 | |
| 56 | Display Case | 9317662000 | |
| 57 | Indicator PCB | 9707649024 | |
| 58 | Terminal | 9900638009 | |
| 59 | Earth Terminal | 9316586000 | |

INDOOR UNIT
COMPACT WALL MOUNTED
ASYG07LUCA
ASYG09LUCA
ASYG12LUCA
ASYG14LUCA



| Ref. | Description | Part number | |
|------|-----------------------|-------------|--|
| 1 | Bracket Panel | 9318913002 | |
| 2 | Wire Cover | 9318911015 | |
| 3 | Wire Shield | 9318919004 | |
| 4 | Under Cover | 9318879018 | |
| 5 | Louver U | 9318880007 | |
| 6 | Louver Z | 9318881004 | |
| 7 | Remote Control | 9319207018 | |
| 8 | Remote Control Holder | 9318912005 | |
| 9 | Screw cap | 9309002067 | |
| -- | Air Clean Filter Assy | 9317250009 | |



INDOOR UNIT
 COMPACT WALL MOUNTED
 ASYG07LUCA
 ASYG09LUCA
 ASYG12LUCA
 ASYG14LUCA
 Front panel




| Ref. | Description | Part number | |
|------|------------------------|-------------|--|
| 11 | Front Panel Total Assy | 9319348001 | |
| 12 | Air Filter | 9318883008 | |
| 13 | Intake Grille Assy | 9319351155 | |
| 14 | Front Panel | 9318876000 | |
| 15 | Front Panel Cover U | 9318910001 | |
| 16 | Display Plate Holder L | 9318894004 | |
| 17 | Display Plate Holder R | 9318895001 | |
| 18 | Display Plate R | 9318893007 | |
| 19 | Arm Cover | 9318900002 | |
| 20 | Grille Stay | 9318899016 | |
| 21 | Grille Clamper B | 9316951006 | |

| Ref. | Description | Part number | |
|------|-------------|-------------|--|
| a | Grille gear | 9319292007 | |


Intake grille assy



INDOOR UNIT
COMPACT WALL MOUNTED
ASYG07LUCA
ASYG09LUCA
ASYG12LUCA
ASYG14LUCA
Evaporator



| Ref. | Description | Part number | |
|------|----------------------------------|-------------|--|
| 31 | Evaporator Total Assy (07,09,12) | 9319327006 | |
| 31 | Evaporator Total Assy (14) | 9319327013 | |
| 32 | Joint Pipe Assy (07, 09, 12) | 9319322001 | |
| 32 | Joint Pipe Assy (14) | 9319322018 | |
| 33 | Joint Pipe Holder | 9318901009 | |
| 34 | Base | 9318874006 | |
| 35 | Filter Guide | 9318887006 | |
| 36 | Evaporator Holder L | 9318875003 | |
| 37 | Air Seal | 9319295008 | |




INDOOR UNIT
COMPACT WALL MOUNTED
ASYG07LUCA
ASYG09LUCA
ASYG12LUCA
ASYG14LUCA
Control box

| Ref. | Description | Part number | |
|------|------------------------|-------------|--|
| 41 | Cover Shield A | 9318916003 | |
| 42 | Control Box | 9318882049 | |
| 43 | Box Shield Assy | 9319344010 | |
| 44 | Main PCB (07) | 9708713281 | |
| 44 | Main PCB (09) | 9708713298 | |
| 44 | Main PCB (12) | 9708713304 | |
| 44 | Main PCB (14) | 9708713311 | |
| 45 | Terminal | 9900638009 | |
| 46 | Earth Terminal | 9318918007 | |
| 47 | Room Thermistor Holder | 9319068008 | |
| 48 | Gear Cover | 9318902006 | |

| Ref. | Description | Part number | |
|------|-----------------|-------------|--|
| 49 | Step Motor | 9900384166 | |
| 50 | Gear B | 9319294001 | |
| 51 | Panel Gear | 9319293004 | |
| 52 | Gear Case | 9318903003 | |
| 53 | Switch Case | 9319332000 | |
| 54 | Grille Key Top | 9319334004 | |
| 55 | Micro Switch | 9900625009 | |
| 56 | Display Assy | 9708823010 | |
| 57 | Indicator PCB | 9708824017 | |
| -- | Thermistor Assy | 9900627003 | |


INDOOR UNIT
COMPACT WALL MOUNTED
ASYG07LUCA
ASYG09LUCA
ASYG12LUCA
ASYG14LUCA
Casing assy




| Ref. | Description | Part number |
|------|--------------------|-------------|
| 61 | Fan Motor | 9602947003 |
| 62 | Crossflow Fan Assy | 9319361000 |
| 63 | Bearing C Assy | 9306628017 |
| 64 | Casing Assy | 9319342009 |
| 65 | Casing | 9318873009 |
| 66 | Motor Cover | 9316601000 |
| 67 | Motor Cover | 9318888003 |
| 68 | Fan Guard | 9318924008 |
| 69 | Casing Cover F | 9318923001 |
| 70 | Casing Cover B | 9318920017 |

| Ref. | Description | Part number |
|------|--------------------|-------------|
| 71 | Pipe Bracket | 9318889000 |
| 72 | Panel Cover | 9319296012 |
| 73 | Louver Holder | 9318886009 |
| 74 | R and L Louver | 9318885002 |
| 75 | Motor Step | 9900384128 |
| 76 | Louver Gear Holder | 9318905007 |
| 77 | Louver Gear | 9318904000 |
| 78 | Gear A | 9309994003 |
| 79 | Drain Cap | 9316177017 |
| 80 | Drain Hose Assy | 9316904002 |


INDOOR UNIT
 ASYG07LMCA
 ASYG09LMCA
 ASYG12LMCA
 ASYG14LMCA




| Ref. | Description | Part number | |
|------|-------------------------|-------------|--|
| 1 | Remote Control | 9319208008 | |
| 2 | Remote Control Holder | 9318912005 | |
| 3 | Bracket Panel | 9332882018 | |
| 4 | Electric Filter Holder | 9332911008 | |
| 5 | Air Clean Filter Assy | 9317250009 | |
| 6 | Air Filter | 9332875003 | |
| 7 | Front Panel Sub Assy | 9332994001 | |
| 8 | Wire Cover | 9332894004 | |
| 9 | Louver with Shaft Cover | 9333353005 | |
| 10 | Diffuser Assy | 9332998009 | |
| a | Screw cap | 9309002081 | |




INDOOR UNIT
ASYG07LMCE
ASYG09LMCE
ASYG12LMCE
ASYG14LMCE




| Ref. | Description | Part number |
|------|------------------------|-------------|
| 1 | Remote Control | 9319208008 |
| 2 | Remote Control Holder | 9318912005 |
| 3 | Bracket Panel | 9332882025 |
| 4 | Electric Filter Holder | 9332911008 |
| 5 | Air Clean Filter Assy | 9317250009 |
| 6 | Air Filter | 9332875010 |
| 7 | Screw Cap | 9309002074 |






INDOOR UNIT
 ASYG07LMCE
 ASYG09LMCE
 ASYG12LMCE
 ASYG14LMCE

| Ref. | Description | Part number | |
|------|-----------------------------------|-------------|--|
| 11 | Wire Cover | 9333504018 | |
| 12 | Louver Assy | 9333353043 | |
| 13 | Diffuser Assy | 9332998085 | |
| 14 | Front Panel Sub Assy (FUJITSU) | 9333525051 | |



INDOOR UNIT
 ASYG07LMCE
 ASYG09LMCE
 ASYG12LMCE
 ASYG14LMCE
 Front panel sub assy


| Ref. | Description | Part number | |
|------|---------------------|-------------|--|
| 21 | Intake Grille Assy | 9333526010 | |
| 22 | Front Panel C | 9333497020 | |
| 23 | Under Cover | 9333503011 | |
| 24 | Front Panel Cover R | 9333502014 | |
| 25 | Front Panel R | 9333500003 | |
| 26 | Front Panel Cover L | 9333501017 | |
| 27 | Front Panel L | 9333499000 | |



| Ref. | Description | Part number | |
|------|--------------------------------|-------------|--|
| 31 | Control Box | 9332892000 | |
| 32 | Main PCB (ASYG07LMC_) | 9709427033 | |
| 32 | Main PCB (ASYG09LMC_) | 9709427019 | |
| 32 | Main PCB (ASYG12LMC_) | 9709427026 | |
| 32 | Main PCB (ASYG14LMC_) | 9709427040 | |
| 33 | Terminal | 9900720001 | |
| 34 | Display Assy (Includes PCB) | 9709430019 | |
| 35 | Room Thermistor Holder | 9332868005 | |
| -- | Thermistor Assy | 9900930011 | |


INDOOR UNIT
 ASYG07LMCA
 ASYG09LMCA
 ASYG12LMCA
 ASYG14LMCA
 ASYG07LMCE
 ASYG09LMCE
 ASYG12LMCE
 ASYG14LMCE
 Control box

INDOOR UNIT
 ASYG07LMCA
 ASYG09LMCA
 ASYG12LMCA
 ASYG14LMCA
 ASYG07LMCE
 ASYG09LMCE
 ASYG12LMCE
 ASYG14LMCE
 Evaporator
 Fan





| Ref. | Description | Part number | |
|------|----------------------------------|-------------|--|
| 41 | Evaporator Total Assy (07,09,12) | 9332989090 | |
| 41 | Evaporator Total Assy (14) | 9332989113 | |
| 42 | Fan Motor | 9603269005 | |
| 43 | Crossflow Fan Assy | 9316830004 | |
| 44 | Bearing C Assy | 9306628017 | |
| 45 | Casing Assy | 9333009001 | |

INDOOR UNIT
 ASYG07LMCA
 ASYG09LMCA
 ASYG12LMCA
 ASYG14LMCA
 ASYG07LMCE
 ASYG09LMCE
 ASYG12LMCE
 ASYG14LMCE
 Casing assy




| Ref. | Description | Part number | |
|------|-----------------|-------------|--|
| 51 | Casing | 9332890006 | |
| 52 | Casing Cover F | 9332909005 | |
| 53 | Casing Cover B | 9332908008 | |
| 54 | R and L Louver | 9332891003 | |
| 55 | Fan Guard | 9332905007 | |
| 56 | Drain Cap | 9316177017 | |
| 57 | Drain Hose Assy | 9316904002 | |

INDOOR UNIT
 ASYG07LMCA
 ASYG09LMCA
 ASYG12LMCA
 ASYG14LMCA
 ASYG07LMCE
 ASYG09LMCE
 ASYG12LMCE
 ASYG14LMCE
 Casing assy



| Ref. | Description | Part number | |
|------|------------------|-------------|--|
| 61 | Motor Holder L/R | 9332859003 | |
| 62 | Cable Guide | 9332903003 | |
| 63 | Step Motor | 9900790004 | |
| 64 | Step Motor | 9900790011 | |




Parts


INDOOR UNIT
ASYG07KMCC
ASYG09KMCC
ASYG12KMCC
ASYG14KMCC

| Ref. | Description | Part number |
|------|------------------------|-------------|
| 1 | Remote controller assy | 9319208008 |
| 2 | Remote control holder | 9318912005 |
| 3 | Bracket panel | 9387480030 |
| 4 | Electric filter holder | 9332911008 |
| 5 | Air clean filter assy | 9317250009 |

INDOOR UNIT
ASYG07KMCC
ASYG09KMCC
ASYG12KMCC
ASYG14KMCC





INDOOR UNIT
 ASYG07KMCC
 ASYG09KMCC
 ASYG12KMCC
 ASYG14KMCC




| Ref. | Description | Part number |
|------|--------------------|-------------|
| 21 | Air filter | 9387473018 |
| 22 | Intake grille assy | 9323546004 |
| 23 | Grille clamber L | 9333719009 |
| 24 | Grille clamber R | 9333704005 |

INDOOR UNIT
ASYG07KMCC
ASYG09KMCC
ASYG12KMCC
ASYG14KMCC




| Ref. | Description | Part number |
|------|-----------------|-------------|
| 31 | U/D louver assy | 9387479041 |
| 32 | Shaft cover | 9332861006 |
| 33 | Louver spring P | 9333951003 |





INDOOR UNIT
ASYG07KMCC
ASYG09KMCC
ASYG12KMCC
ASYG14KMCC


Control box



| Ref. | Description | Part number |
|------|------------------------|-------------|
| 41 | Room thermistor holder | 9387467017 |
| 42 | Thermistor assy | 9900627027 |




Control cover




INDOOR UNIT
ASYG07KMCC
ASYG09KMCC
ASYG12KMCC
ASYG14KMCC

Control box




| Ref. | Description | Part number |
|------|---|-------------|
| 51 | Main PCB (07KMCC) | 9710368370 |
| 51 | Main PCB (09KMCC) | 9710368387 |
| 51 | Main PCB (12KMCC) | 9710368394 |
| 51 | Main PCB (14KMCC) | 9710368400 |
| 52 | Terminal (KMCC) | 9901013027 |
| 53 | Display assy (KMCC) Includes all parts enclosed by the dashed line. | 9711146069 |
| 54 | Indicator PCB (KMCC) | 9711147042 |
| 55 | Wi-Fi folder | 9387485004 |
| 56 | PWB holder A | 9387464009 |
| 57 | PWB holder B | 9387795011 |
| 58 | Control box | 9387463026 |
| 59 | Box shield | 9323537002 |

INDOOR UNIT
 ASHG07KMCC
 ASHG09KMCC
 ASHG12KMCC
 ASHG14KMCC




| Ref. | Description | Part number |
|------|------------------------------------|-------------|
| 61 | Evaporator total assy (07, 09, 12) | 9387593211 |
| 62 | Evaporator total assy (14) | 9387593204 |
| 63 | Drain pan total assy | 9387590104 |
| 64 | Step motor holder assy | 9387714036 |
| 65 | Brushless motor (07, 09, 12) | 9603688011 |
| 65 | Brushless motor (14) | 9603492014 |
| 66 | Crossflow fan assy | 9333606033 |
| 67 | Bearing D assy | 9333628004 |
| 68 | Base assy | 9387587074 |

INDOOR UNIT
WALL MOUNTED
ASYG18LFCA
ASYG24LFCA
ASYG24LFCC




| Ref | Description | Parts number | |
|-----|------------------------|--------------|--|
| 1 | Front Panel Total Assy | 9318738001 | |
| 2 | Front Panel | 9314991080 | |
| 3 | Intake Grille Assy | 9385985049 | |
| 4 | Air Filter | 9315014016 | |
| 5 | Receiver Window | 9315010018 | |
| 6 | Clamper Grille | 9306755010 | |
| 7 | Wire Clamper | 9315015013 | |
| 8 | Cap (Screw) | 9309002050 | |
| 9 | Bracket Panel | 9315023018 | |
| 10 | Remote Control | 9379219037 | |
| 11 | Remote Control Holder | 9305642045 | |
| -- | Air Clean Filter Assy | 9315212016 | |

INDOOR UNIT
WALL MOUNTED
ASYG18LFCA
ASYG24LFCA
ASYG24LFCC



| Ref | Description | Parts number |
|-----|----------------------------|--------------|
| 21 | Evaporator Total Assy (18) | 9315338075 |
| 21 | Evaporator Total Assy (24) | 9315338112 |
| 22 | Connection Pipe Assy (18) | 9315354020 |
| 22 | Connection Pipe Assy (24) | 9315355058 |
| 23 | Water Seal | 9315251015 |
| 24 | Evaporator Holder R | 9314994012 |
| 25 | Evaporator Holder L | 9314995019 |
| 26 | Rear Bracket | 9315022011 |
| 27 | Filter Guide | 9315013019 |
| 28 | Filter Guard | 9315411013 |
| 29 | Bearing C Assy | 9306628017 |
| 30 | Crossflow Fan Assy | 9315024015 |
| 31 | Holder (Room Thermistor) | 9315252012 |
| 32 | Pipe Thermistor | 9900551018 |


INDOOR UNIT
WALL MOUNTED
ASYG18LFCA
ASYG24LFCA
ASYG24LFCC



| Ref | Description | Parts number | |
|-----|------------------|--------------|--|
| 41 | Casing Assy (18) | 9315331038 | |
| 41 | Casing Assy (24) | 9315331045 | |
| 42 | Casing | 9314993015 | |
| 43 | Casing Cover B | 9315016010 | |
| 44 | Casing Cover L | 9315017017 | |
| 45 | Casing Cover R | 9315018014 | |
| 46 | Casing Cover F | 9315019011 | |
| 47 | Drain Cap | 9367677009 | |
| 48 | Drain Hose Assy | 9315769015 | |
| 49 | Bush B | 9312156016 | |
| 50 | Spacer D | 9315282019 | |


| Ref | Description | Parts number | |
|-----|------------------------|--------------|--|
| 51 | Louver U | 9315000026 | |
| 52 | Louver Z | 9315001023 | |
| 53 | Diffuser U | 9315002020 | |
| 54 | Diffuser Z | 9315003027 | |
| 55 | Spring C | 9314142017 | |
| 56 | Pillar A | 9315009012 | |
| 57 | Joint B | 9315006011 | |
| 58 | R and L Louver | 9311997016 | |
| - | Fan Guard | 9305751051 | |
| - | Fan Guard Holder Right | 9315814012 | |
| - | Fan Guard Holder Left | 9315815019 | |

INDOOR UNIT
WALL MOUNTED
ASYG18LFCA
ASYG24LFCA
ASYG24LFCC



| Ref | Description | Parts number | |
|-----|------------------------------------|--------------|--|
| 61 | Control Box Cover | 9314997013 | |
| 62 | Control Box | 9314996016 | |
| 63 | Main PCB (18LFCA) | 9708540191 | |
| 63 | Main PCB (24LFCA) | 9708540221 | |
| 63 | Main PCB (24LFCA) | 9708540207 | |
| 64 | Terminal | 9900447014 | |
| 65 | Terminal Earth | 9315028020 | |
| 66 | Motor Case | 9314998034 | |
| 67 | Fan Motor Assy (LFCA) | 9602784004 | |
| 67 | Fan Motor Assy (LFCC) | 9602703012 | |
| 68 | Motor Step (Red) | 9900384029 | |
| 69 | Motor Step (Green) | 9900384036 | |
| 70 | Motor Step (Blue) | 9900139063 | |
| --- | Display Assy (PCB+Display Case) | 9707209075 | |
| 71 | Indicator PCB | 9707210057 | |


DECORATION PANEL
UTG-UFYD-W



| Ref. | Description | Part number | |
|------|--------------------------------------|-------------|--|
| 1 | Decoration Panel without Insulations | 9375525040 | |
| 2 | Display Panel | 9375529123 | |
| 3 | Receiver Window | 9375547011 | |
| 4 | Intake Grille Assy | 9375726027 | |
| 5 | Intake Grille | 9375531034 | |
| 6 | Long Life Filter | 9375533014 | |
| 7 | Hook Bracket | 9375546014 | |
| 8 | Grille Hook | 9375532024 | |
| 9 | Panel Cover without Insulations | 9375530013 | |
| 10 | Indicator PCB Assy | 9707371031 | |
| 11 | Connector Cover | 9375549015 | |
| 12 | Flap Total Assy | 9377760029 | |


DECORATION PANEL
UTG-UFYD-W

Flap total assy
Motor holder assy




| Ref. | Description | Part number | |
|------|---------------------------------|-------------|--|
| 21 | Gear A | 9375536015 | |
| 22 | Motor Holder | 9375535018 | |
| 23 | Step Motor (white connector) | 9900139070 | |
| 24 | Step Motor (red connector) | 9900139087 | |


INDOOR UNIT
COMPACT CASSETTE
AUYG07LVLA
AUYG09LVLA
AUYG12LVLA
AUYG14LVLA
AUYG18LVLA
AUYG12LVLB
AUYG14LVLB
AUYG18LVLB



| Ref. | Description | Part number | |
|------|---------------------|-------------|--|
| 1 | Top Plate Assy | 9375490027 | |
| 2 | Cabinet A Assy | 9375492014 | |
| 3 | Cabinet B | 9375494018 | |
| 4 | Hook R | 9375504014 | |
| 5 | Hook L | 9375505011 | |
| 6 | Insulation Box Assy | 9377764065 | |
| 7 | Wire Cover | 9375516017 | |
| 8 | Pipe Cover | 9375515010 | |
| 9 | Bell Mouse | 9375503017 | |
| 10 | Wire Holder | 9375478018 | |
| 11 | Drain Pan Sub Assy | 9377765024 | |
| 12 | Drain Cap | 9375502010 | |




INDOOR UNIT
COMPACT CASSETTE
AUYG07LVLA
AUYG09LVLA
AUYG12LVLA
AUYG14LVLA
AUYG18LVLA
AUYG12LVLB
AUYG14LVLB
AUYG18LVLB



| Ref. | Description | Part number | |
|------|-------------------------------------|-------------|--|
| 21 | Evaporator Sub Assy (07) | 9375720148 | |
| 21 | Evaporator Sub Assy (09, 12) | 9375720100 | |
| 21 | Evaporator Sub Assy (14, 18) | 9375720094 | |
| 22 | Evaporator Holder | 9375508012 | |
| 23 | 2 Stage Turbo Fan Assy | 9375480011 | |
| 24 | Fan Motor | 9602436019 | |
| 25 | Fan Motor Holder | 9375552015 | |
| 26 | Pump Assy | 9900472030 | |
| 27 | Drain Pump Holder B | 9375518011 | |
| 28 | Float Switch | 9900361037 | |
| 29 | Drain Port Sub Assy | 9375718015 | |
| 30 | Rubber (Pump) | 9378426016 | |


INDOOR UNIT
COMPACT CASSETTE
AUYG07LVLA
AUYG09LVLA
AUYG12LVLA
AUYG14LVLA
AUYG18LVLA
AUYG12LVLB
AUYG14LVLB
AUYG18LVLB
Control unit



| Ref. | Description | Part number | |
|------|-------------------|-------------|--|
| 31 | Control Box Cover | 9375512019 | |
| 32 | Control Box A | 9375511012 | |
| 33 | Main PCB (07) | 9707393736 | |
| 33 | Main PCB (09) | 9707393743 | |
| 33 | Main PCB (12LVLA) | 9707393750 | |
| 33 | Main PCB (14LVLA) | 9707393767 | |
| 33 | Main PCB (18LVLA) | 9707393774 | |
| 33 | Main PCB (12LVLB) | 9709245422 | |
| 33 | Main PCB (14LVLB) | 9709245439 | |
| 33 | Main PCB (18LVLB) | 9709245446 | |


| Ref. | Description | Part number | |
|------|---|-------------|--|
| 34 | Power Supply PCB (12, 14, 18LVLA) | 9707398250 | |
| 34 | Power Supply PCB (07, 09LVLA, 12, 14, 18LVLB) | 9707398380 | |
| 35 | Terminal | 9306489045 | |
| 36 | Terminal | 9703345012 | |
| -- | Pipe Thermistor | 9703297014 | |
| -- | Room Thermistor | 9900502003 | |
| -- | Remote Control | 9379219006 | |
| -- | Remote Control Holder | 9305642045 | |

INDOOR UNIT
FLOOR
AGYG09LVCA
AGYG12LVCA
AGYG14LVCA



| Ref | Description | Parts number | |
|-----|-----------------------|--------------|--|
| 1 | Intake Grille Assy | 9316418059 | |
| 2 | Rope Assy | 9316458017 | |
| 3 | Panel (Front) L | 9316187016 | |
| 4 | Panel (Front) R | 9316186019 | |
| 5 | Air Filter | 9316189010 | |
| 6 | Air Clean Filter Assy | 9316474017 | |
| 7 | Panel (Front) | 9316185012 | |
| 8 | Bracket Panel | 9316272019 | |
| -- | Remote Control | 9379219006 | |
| -- | Remote Control Holder | 9305642045 | |


INDOOR UNIT
FLOOR
AGYG09LVCA
AGYG12LVCA
AGYG14LVCA



| Ref | Description | Parts number | |
|-----|--------------------|--------------|--|
| 11 | Control Cover | 9316201019 | |
| 12 | Main PCB (09) | 9708532073 | |
| 12 | Main PCB (12) | 9708532080 | |
| 12 | Main PCB (14) | 9708532097 | |
| 13 | Control Box | 9316200012 | |
| 14 | Terminal | 9900385026 | |
| 15 | Bracket (Terminal) | 9316269019 | |
| 16 | Cover (Terminal) | 9316307018 | |
| 17 | Bracket (Pipe) | 9316270015 | |
| 18 | Pipe Thermistor | 9900425012 | |
| 19 | Display Case | 9316194014 | |

| Ref | Description | Parts number | |
|-----|----------------------|--------------|--|
| 20 | Display PCB Assy | 9707571042 | |
| 21 | Display Cover | 9316191013 | |
| 22 | Thermistor Holder | 9316192010 | |
| 23 | Room Thermistor | 9700801108 | |
| 24 | Motor Holder | 9316195011 | |
| 25 | Bearing C Assy | 9306628017 | |
| 26 | Crossflow Fan Assy | 9312004034 | |
| 27 | Fan Motor, MFD-34TXN | 9602850006 | |
| 28 | Crossflow Fan B Assy | 9316309012 | |
| 29 | Fan Motor, MFD-14SXN | 9602851003 | |
| 30 | Base | 9316193017 | |


INDOOR UNIT
FLOOR
AGYG09LVCA
AGYG12LVCA
AGYG14LVCA




| Ref | Description | Parts number | |
|-----|--------------------------------|--------------|--|
| 31 | Evaporator Total Assy (09, 12) | 9316091016 | |
| 31 | Evaporator Total Assy (14) | 9316091023 | |
| 32 | Evaporator Holder | 9316199019 | |
| 33 | Water Seal | 9316271012 | |

INDOOR UNIT
FLOOR
AGYG09LVCA
AGYG12LVCA
AGYG14LVCA
Casing assy


| Ref | Description | Parts number | |
|-----|------------------------|--------------|--|
| 41 | Top Cover | 9316207011 | |
| 42 | R and L Louver U | 9316208018 | |
| 43 | Fan Guard | 9316211018 | |
| 44 | Casing | 9316204010 | |
| 45 | Gear Case | 9316213012 | |
| 46 | Gear A | 9309994003 | |
| 47 | Motor Step (up / down) | 9900384043 | |
| 48 | Louver U | 9316205017 | |
| 49 | Louver Z | 9316206014 | |
| 50 | REF (Casing) | 9316378018 | |



INDOOR UNIT
FLOOR
AGYG09LVCA
AGYG12LVCA
AGYG14LVCA
Casing aast




| Ref | Description | Parts number | |
|-----|--------------------------------|--------------|--|
| 51 | Motor Step (Damper) | 9900384050 | |
| 52 | Switch Micro (Limit switch) | 9900424015 | |
| 53 | Motor Step (Damper Lock Left) | 9900384067 | |
| 54 | Drain Cap | 9316177017 | |
| 55 | Drain Pan U | 9316214019 | |
| 56 | Drain Hose Assy | 9314147029 | |
| 57 | Motor Step (Damper Lock Right) | 9900384074 | |
| 58 | Damper | 9316216013 | |
| 59 | R and L Louver Z | 9316334014 | |
| 60 | Drain Pan Z | 9316215016 | |
| 61 | Stopper | 9316219014 | |
| 62 | Cover (Lower) | 9316374010 | |
| -- | Fan Guard Z | 9316918009 | |




INDOOR UNIT
SLIM DUCT
ARYG07LLTA
ARYG09LLTA
ARYG12LLTA
ARYG14LLTA
ARYG12LLTB
ARYG14LLTB
(Serial number : T)
Refer to the service
bulletin RAC-0059

| Ref | Description | Parts number | Ref | Description | Parts number |
|-----|-------------------------|--------------|-----|------------------------------|--------------|
| 1 | Side Panel R Sub Assy | 9379906005 | 11 | Main Panel Sub Assy | 9379902007 |
| 2 | Side Panel L Sub Assy | 9379907002 | 12 | Cabinet Panel (2 Fan) | 9379596008 |
| 3 | Pipe Panel Sub Assy | 9379900003 | 13 | Drain Cap | 9358746004 |
| 4 | Panel (Window) Sub Assy | 9379915007 | 14 | Drain Pan Sub Assy | 9379901000 |
| 5 | Outlet Frame Sub Assy | 9379909006 | 15 | Evaporater Sub Assy (07) | 9364499802 |
| 6 | Front Panel (2 Fan) | 9379593007 | 15 | Evaporater Sub Assy (09, 12) | 9364499819 |
| 7 | Valve Cover Sub Assy | 9379576000 | 15 | Evaporater Sub Assy (14) | 9364499826 |
| 8 | Cover Pipe Sub Assy | 9380033004 | 16 | Pipe Thermistor | 9900623005 |
| 9 | Fan Guard (2 Fan) | 9379637008 | -- | Hose Sub Assy | 9378450103 |
| 10 | Air Filter | 9379574006 | | | |

INDOOR UNIT
SLIM DUCT
ARYG07LLTA
ARYG09LLTA
ARYG12LLTA
ARYG14LLTA
ARYG12LLTB
ARYG14LLTB
(Serial number : T)



| Ref | Description | Parts number | | Ref | Description | Parts number | |
|-----|--------------------------|--------------|--|-----|-----------------------------|--------------|--|
| 21 | Top Panel Sub Assy | 9379908009 | | 29 | Hook Metal | 9379889001 | |
| 22 | Separator Sub Assy | 9379898003 | | 30 | Fan Motor Assy (07) | 9603139018 | |
| 23 | Sirroco Fan Assy | 9379570015 | | 30 | Fan Motor Assy (09, 12, 14) | 9603283018 | |
| 24 | Motor Band Assy | 9379613002 | | 31 | Room Thermistor | 9703299247 | |
| 25 | Motor Band | 9379614009 | | 32 | Drain Pump Sub Assy | 9379914000 | |
| 26 | Rubber (Vibration Proof) | 9379644006 | | 33 | Pump Assy | 9900472047 | |
| 27 | Casing B | 9379572002 | | 34 | Float Switch | 9900465032 | |
| 28 | Casing U | 9379571005 | | 35 | Drain Hose Assy | 9379913003 | |




INDOOR UNIT
SLIM DUCT
ARYG18LLTA
ARYG18LLTB
(Serial number : T)

| Ref | Description | Parts number |
|-----|-------------------------|--------------|
| 1 | Side Panel R Sub Assy | 9379906005 |
| 2 | Side Panel L Sub Assy | 9379907002 |
| 3 | Pipe Panel Sub Assy | 9379900003 |
| 4 | Panel (Window) Sub Assy | 9379915007 |
| 5 | Outlet Frame Sub Assy | 9379909013 |
| 6 | Front Panel (3 Fan) | 9379594004 |
| 7 | Valve Cover Sub Assy | 9379576000 |
| 8 | Cover Pipe Sub Assy | 9380033004 |
| 9 | Fan Guard (3 Fan) | 9379638005 |

| Ref | Description | Parts number |
|-----|-----------------------|--------------|
| 10 | Air Filter | 9379575003 |
| 11 | Main Panel Sub Assy | 9379902014 |
| 12 | Cabinet Panel (3 Fan) | 9379597005 |
| 13 | Drain Cap | 9358746004 |
| 14 | Drain Pan Sub Assy | 9379901017 |
| 15 | Evaporator Sub Assy | 9364499833 |
| 16 | Pipe Thermistor | 9900623005 |
| -- | Hose Sub Assy | 9378450103 |

INDOOR UNIT
SLIM DUCT
ARYG18LLTA
ARYG18LLTB
(Serial number : T)




| Ref | Description | Parts number |
|-----|----------------------------|--------------|
| 21 | Top Panel Sub Assy | 9379908016 |
| 22 | Separator Sub Assy | 9379898010 |
| 23 | Sirroco Fan Assy | 9379570022 |
| 24 | Sirroco Fan Assy | 9379570039 |
| 25 | Bracket (Bearing Sub Assy) | 9379627009 |
| 26 | Shaft | 9380398004 |
| 27 | Joint Assy | 9378038011 |
| 28 | Motor Band Assy | 9379613002 |
| 29 | Motor Band | 9379614009 |
| 30 | Rubber (Vibration Proof) | 9379644006 |


| Ref | Description | Parts number |
|-----|---------------------|--------------|
| 31 | Casing B | 9379572002 |
| 32 | Casing U | 9379571005 |
| 33 | Hook Metal | 9379889001 |
| 34 | Fan Motor Assy | 9603284015 |
| 35 | Thermistor (Room) | 9703299247 |
| 36 | Drain Pump Sub Assy | 9379914000 |
| 37 | Pump Assy | 9900472047 |
| 38 | Float Switch | 9900465032 |
| 39 | Drain Hose Assy | 9379913003 |

INDOOR UNIT
 SLIM DUCT
 ARYG07LLTA
 ARYG09LLTA
 ARYG12LLTA
 ARYG14LLTA
 ARYG18LLTA
 ARYG12LLTB
 ARYG14LLTB
 ARYG18LLTB
 (Serial number : T)


| Ref | Description | Parts number | |
|-----|----------------------------|--------------|--|
| 41 | Control Cover Sub Assy | 9379806039 | |
| 42 | Control Box Assy | 9380041023 | |
| 43 | PCB Holder | 9379402002 | |
| 44 | Power Supply PCB | 9707398267 | |
| 45 | Main PCB (07) | 9707393781 | |
| 45 | Main PCB (09) | 9707393798 | |
| 45 | Main PCB (12LLTA) | 9707393804 | |
| 45 | Main PCB (14LLTA) | 9707393811 | |
| 45 | Main PCB (18LLTA) | 9707393828 | |
| 45 | Main PCB (12LLTB) | 9707393897 | |
| 45 | Main PCB (14LLTB) | 9707393903 | |
| 45 | Main PCB (18LLTB) | 9707393910 | |
| 46 | Reactor Assy | 9707457018 | |
| 47 | Terminal 3P | 9306489045 | |
| 48 | Terminal 3P (Wired Remote) | 9703345012 | |
| 49 | Terminal Bracket | 9380132011 | |
| -- | Wired Remote Control | 9318593013 | |



INDOOR UNIT
SLIM DUCT
ARYG07LLTA
ARYG09LLTA
ARYG12LLTB
ARYG14LLTB
(Serial number : R)
Refer to the service
bulletin RAC-0059



| Ref | Description | Parts number | Ref | Description | Parts number |
|-----|-------------------------|--------------|-----|------------------------------|--------------|
| 1 | Side Panel R Sub Assy | 9379906012 | 9 | Air Filter | 9379574006 |
| 2 | Side Panel L Sub Assy | 9379907019 | 10 | Main Panel (2 Fan) | 9380602002 |
| 3 | Pipe Panel Sub Assy | 9379900003 | 11 | Cabinet Panel (2 Fan) | 9380597001 |
| 4 | Panel (Window) Sub Assy | 9379915007 | 12 | Drain Pan Sub Assy | 9379901048 |
| 5 | Outlet Frame Assy | 9380042006 | 13 | Evaporator Sub Assy (07) | 9380682080 |
| 6 | Front Panel (2 Fan) | 9380594000 | 13 | Evaporator Sub Assy (09, 12) | 9380682042 |
| 7 | Valve Cover Sub Assy | 9379576017 | 13 | Evaporator Sub Assy (14) | 9380682059 |
| 8 | Fan Guard (2 Fan) | 9380589006 | | | |




INDOOR UNIT
SLIM DUCT
ARYG07LLTA
ARYG09LLTA
ARYG12LLTB
ARYG14LLTB
(Serial number : R)


| Ref | Description | Parts number |
|-----|--------------------------|--------------|
| 21 | Top Panel Sub Assy | 9379908030 |
| 22 | Sirroco Fan Assy | 9379570015 |
| 23 | Rubber (Vibration Proof) | 9379644006 |
| 24 | Casing B | 9379572019 |
| 25 | Casing U | 9379571012 |
| 26 | Fan Motor Assy (07) | 9603139018 |

| Ref | Description | Parts number |
|-----|------------------------|--------------|
| 26 | Fan Motor (09, 12, 14) | 9603283018 |
| 27 | Drain Pump Sub Assy | 9379914024 |
| 28 | Float Switch Sub Assy | 9378593022 |
| 29 | Drain Hose Assy | 9379913003 |
| 30 | Hose Sub Assy | 9378450097 |

INDOOR UNIT
SLIM DUCT
ARYG18LLTB
(Serial number : R)




| Ref | Description | Parts number | Ref | Description | Parts number |
|-----|-------------------------|--------------|-----|-----------------------|--------------|
| 1 | Side Panel R Sub Assy | 9379906012 | 8 | Fan Guard (3 Fan) | 9380590002 |
| 2 | Side Panel L Sub Assy | 9379907019 | 9 | Air Filter | 9379575003 |
| 3 | Pipe Panel Sub Assy | 9379900003 | 10 | Main Panel (3 Fan) | 9380603009 |
| 4 | Panel (Window) Sub Assy | 9379915007 | 11 | Cabinet Panel (3 Fan) | 9380598008 |
| 5 | Outlet Frame Assy | 9380042013 | 12 | Drain Pan Sub Assy | 9379901055 |
| 6 | Front Panel (3 Fan) | 9380595007 | 13 | Evaporator Sub Assy | 9380682066 |
| 7 | Valve Cover Sub Assy | 9379576017 | | | |




| Ref | Description | Parts number | | Ref | Description | Parts number | |
|-----|--------------------------|--------------|--|-----|-----------------------|--------------|--|
| 21 | Top Panel Sub Assy | 9379908047 | | 28 | Casing U | 9379571012 | |
| 22 | Sirroco Fan Assy | 9379570022 | | 29 | Fan Motor Assy | 9603284015 | |
| 23 | Sirroco Fan Assy | 9379570039 | | 30 | Drain Pump Sub Assy | 9379914024 | |
| 24 | Shaft | 9380398004 | | 31 | Float Switch Sub Assy | 9378593022 | |
| 25 | Joint Assy | 9378038011 | | 32 | Drain Hose Assy | 9379913003 | |
| 26 | Rubber (Vibration Proof) | 9379644006 | | 33 | Hose Sub Assy | 9378450097 | |
| 27 | Casing B | 9379572019 | | | | | |

INDOOR UNIT
SLIM DUCT
ARYG07LLTA
ARYG09LLTA
ARYG12LLTB
ARYG14LLTB
ARYG18LLTB
(Serial number : R)





| Ref | Description | Parts number |
|-----|----------------------------|--------------|
| 41 | Power Supply PCB | 9707398267 |
| 42 | Main PCB (07) | 9709245279 |
| 42 | Main PCB (09) | 9709245286 |
| 42 | Main PCB (12) | 9709245293 |
| 42 | Main PCB (14) | 9709245309 |
| 42 | Main PCB (18) | 9709245316 |
| 43 | Reactor Assy | 9707457018 |
| 44 | Terminal 3P | 9306489045 |
| 45 | Terminal 3P (Wired Remote) | 9703345012 |
| 46 | Wired Remote Control | 9318593013 |
| -- | Room Thermistor | 9900653019 |
| -- | Pipe Thermistor | 9900498108 |

INDOOR UNIT
FLOOR CEILING
ABYG14LVTA
ABYG18LVTA
ABYG18LVTB




| Ref. | Description | Part number | |
|------|------------------|-------------|--|
| 1 | Remote | 9379219037 | |
| 2 | Remote Holder | 9305642045 | |
| 3 | Top Cover | 9358534021 | |
| 4 | Arm | 9358565001 | |
| 5 | Hanger Bracket L | 9358596005 | |
| 6 | Hanger Bracket R | 9358595008 | |
| 7 | Cosmetic Panel R | 9358535028 | |
| 8 | Cosmetic Panel L | 9358536025 | |






| Ref. | Description | Part number | |
|------|--------------------------------|-------------|--|
| 11 | Panel | 9358531259 | |
| 12 | Side Cover R Assy | 9359069102 | |
| 13 | Indicator PCB Assy | 9705798090 | |
| 14 | Insulation (Panel) A | 9358574003 | |
| 15 | Insulation (Panel) B | 9358914007 | |
| -- | Panel Assy (with side cover R) | 9359076322 | |




INDOOR UNIT
FLOOR / CEILING
ABYG14LVTA
ABYG18LVTA
ABYG18LVTB
Grille




| Ref. | Description | Part number | |
|------|----------------|-------------|--|
| 21 | Air Filter | 9358567029 | |
| 22 | Grill F | 9358532027 | |
| 23 | Arm Bracket | 9359281009 | |
| 24 | Grille Support | 9358602003 | |
| 25 | Filter Bracket | 9358607008 | |

INDOOR UNIT
FLOOR / CEILING
ABYG14LVTA
ABYG18LVTA
ABYG18LVTB
Kit (Flap base)




| Ref. | Description | Part number | |
|------|-----------------|-------------|--|
| 31 | Kit (Flap Base) | 9372670040 | |
| 32 | Flap Base | 9358537022 | |
| 33 | Protect Cover | 9358564011 | |
| 34 | Support Stay | 9358599006 | |
| 35 | Louver | 9358561027 | |
| 36 | Bushing B | 9358554005 | |
| 37 | Louver Stopper | 9358555002 | |
| 38 | Louver Rod | 9358559017 | |
| 39 | Motor Rod | 9358560013 | |

INDOOR UNIT
FLOOR / CEILING
ABYG14LVTA
ABYG18LVTA
ABYG18LVTB
Flap base sub assy




| Ref. | Description | Part number | |
|------|--------------------------|-------------|--|
| 41 | Bushing | 9357942001 | |
| 42 | Bushing C | 9358553008 | |
| 43 | Flap (Upper) F | 9358538029 | |
| 44 | Kit (Flap Lower) | 9372671023 | |
| 45 | Step Motor H | 9900297015 | |
| 46 | Louver Link | 9358556009 | |
| 47 | Louver Shaft | 9358557006 | |
| 48 | Louver Link Cover | 9358558010 | |
| 49 | Step Motor-V | 9900362010 | |
| 50 | Motor Base | 9358562017 | |
| 51 | Motor Rod-A (Step V) | 9358550007 | |
| 52 | Flap Link-Upper (Step V) | 9358551004 | |
| 53 | Flap Link-Lower (Step V) | 9358552001 | |

INDOOR UNIT
FLOOR / CEILING
ABYG14LVTA
ABYG18LVTA
ABYG18LVTB
Base assy




| Ref. | Description | Part number | |
|------|--------------|-------------|--|
| 61 | Base Assy | 9359061014 | |
| 62 | Cap | 9358563007 | |
| 63 | Base Bracket | 9358586006 | |




| Ref. | Description | Part number | |
|------|----------------------------|-------------|--|
| 71 | Kit (Separate Wall A) | 9372666012 | |
| 72 | Kit (Separate Wall B) | 9373448013 | |
| 73 | Kit (Drain Pan Assy) | 9372669013 | |
| 74 | Drain Cap | 9358746004 | |
| 75 | Drain Hose Assy | 9377785060 | |
| 76 | Kit (Insulation Flap Base) | 9372672013 | |
| 77 | Kit (Dew Proof Plate) | 9372673010 | |
| 78 | Catch | 9359096009 | |
| 79 | Pipe Thermistor | 9900022020 | |

INDOOR UNIT
 FLOOR / CEILING
 ABYG14LVTA
 ABYG18LVTA
 ABYG18LVTB
 Drain pan assy
 Evaporator




| Ref. | Description | Part number | | |
|------|---------------------|-------------|--------------|--|
| | | ABYG14LVTA | ABYG18LVTA/B | |
| 81 | Evaporator Sub Assy | 9359051497 | 9359051558 | |
| 82 | Bypass Pipe Assy | 9373032014 | 9377819017 | |
| 83 | Distributor Assy | 9380354017 | 9380354000 | |
| 84 | Coupling Pipe Assy | 9380355014 | 9380355007 | |

INDOOR UNIT
FLOOR / CEILING
ABYG14LVTA
ABYG18LVTA
ABYG18LVTB
Fan motor



| Ref. | Description | Part number | |
|------|--------------------|-------------|--|
| 91 | Sirocco Fan Assy | 9385258006 | |
| 92 | Casing | 9358543009 | |
| 93 | Casing Cover | 9358544006 | |
| 94 | Fan Motor Assy | 9603137014 | |
| 95 | Rubber | 9385102002 | |
| 96 | Motor Fixing Table | 9358591000 | |
| 97 | Protector | 9359282006 | |
| 98 | Motor Fixture | 9358594001 | |






INDOOR UNIT
FLOOR / CEILING
ABYG14LVTA
ABYG18LVTA
ABYG18LVTB
Control unit



| Ref. | Description | Part number | |
|------|------------------------|-------------|--|
| 101 | Control Box | 9358600054 | |
| 102 | Control Box Cover Assy | 9359097006 | |
| 103 | Main PCB (14) | 9709245354 | |
| 103 | Main PCB (18LVTA) | 9707393859 | |
| 103 | Main PCB (18LVTB) | 9709245361 | |
| 104 | Power Supply PCB | 9707398274 | |
| 105 | Terminal 3P | 9306489045 | |
| 106 | Terminal 3P | 9703345012 | |
| -- | Room Thermistor Assy | 9703299087 | |

ACCESSORIES









OUTDOOR UNIT









| Name and Shape | Q'ty | Application |
|--|------|---|
| Drain pipe  | 1 | For outdoor unit drain piping work (May not be supplied, depending on the model.) |
| Drain cap  | 2 | |
| Putty  | 1 | For filling in a gap at the entrance of connection cords. |
| Adapter G (1/2" → 5/8") 12.7mm → 15.88mm  | 1 | For connecting a pipe with different diameter to the outdoor unit. |
| Adapter D (1/2" → 3/8") 12.7mm → 9.52mm  | 2 | |











INDOOR UNIT
COMPACT WALL MOUNTED
ASYG07, 09, 12LJCA

COMPACT WALL MOUNTED
ASYG07, 09, 12, 14LUCA





WALL MOUNTED
ASYG18, 24LFCA, 24LFCC






| Name and Shape | Q'ty |
|--|------|
| Wall hook bracket  | 1 |
| Remote control  | 1 |
| Battery  | 2 |
| Remote control holder  | 1 |
| Cloth tape  | 1 |
| Tapping screw (big)  | 8 |
| Tapping screw (small)  | 2 |
| Air cleaning filter  | 2 |

| Name and Shape | Q'ty |
|--|------|
| Wall hook bracket  | 1 |
| Remote control  | 1 |
| Battery  | 2 |
| Remote control holder  | 1 |
| Cloth tape  | 1 |
| Tapping screw (big)  | 8 |
| Tapping screw (small)  | 2 |
| Air cleaning filter  | 2 |






| Name and Shape | Q'ty |
|--|------|
| Wall hook bracket  | 1 |
| Remote control  | 1 |
| Battery  | 1 |
| Remote control holder  | 1 |
| Drain hose insulation  | 1 |
| Cloth tape  | 1 |
| Tapping screw (big)  | 8 |
| Tapping screw (small)  | 2 |
| Air cleaning filter  | 2 |
| Air cleaning filter frame  | 2 |

INDOOR UNIT
COMPACT WALL MOUNTED
ASYG07, 09, 12, 14LMCA LMCE















| Name and Shape | Part number |
|--|-------------|
| Bracket Panel  | 9332882018 |
| Remote Control  | 9319208008 |
| Remote Control Holder  | 9318912005 |
| Battery (penlight)  | 0600185541 |

| Name and Shape | Part number |
|--|-------------|
| Cloth tape  | 9310519004 |
| Tapping screw (M4 x 25 mm)  | 0700076046 |
| Tapping screw (M3 x 12 mm)  | 0700019036 |
| Air cleaning filter assy  | 9317250009 |
| Filter holder  | 9332911008 |








OPTIONAL PARTS

| Name and Shape | |
|---|--|
| Wired remote control UTY-RVNYM  | |
| Wired remote control UTY-RNNYM  | |
| Simple remote Control UTY-RSNYM  | |
| External connect kit UTY-XWZXZ5  | |
| Communication kit UTY-XCBXZ2  | |









INDOOR UNIT
COMPACT CASSETTE
AUYG07, 09, 12, 14, 18LVLA
AUYG12, 14, 18LVLB

| Name and Shape | Q'ty | Application |
|---|------|--|
| Coupler heat insulation (Large)  | 1 | For indoor side pipe joint (Gas pipe) |
| Coupler heat insulation (Small)  | 1 | For indoor side pipe joint (Liquid pipe) |
| Special nut A (Large range)  | 4 | For installing indoor unit |
| Special nut B (Small range)  | 4 | For installing indoor unit |
| Template (Carton top)  | 1 | For ceiling openings cutting Also used as packing |
| Drain hose  | 1 | For installing drain pipe |
| Hose Band  | 1 | For installing drain hose |
| Drain hose insulation  | 1 | For installing drain pipe |
| Remote controller  | 1 | For air conditioner operation |
| Battery  | 2 | For remote controller unit |
| Remote controller holder  | 1 | For installing the remote controller |
| Tapping screw (M3 × 12mm)  | 2 | For mounting the remote controller holder |
| Binder  | 2 | For electrical wiring |
| Wire clammer  | 1 | For electrical wiring |














DECORATION PANEL
UTG-UFYD-W

| Name and Shape | Q'ty | Application |
|--|------|---|
| Connector cover  | 1 | For covering connector |
| Tapping Screw (M5 × 12 mm)  | 4 | For mounting decoration panel |
| Tapping Screw (M4 × 12 mm)  | 1 | For mounting connector cover |
| L angle  | 2 | For mounting the Hook Wire to the Decoration panel |
| Hook wire  | 2 | For suspending the Decoration panel |
| Screw [pitch small] (M4 × 10 mm)  | 2 | For mounting the Hook Wire (for metals) |
| Screw [pitch large] (M4 × 10 mm)  | 4 | For mounting the L angle and Hook wire (for resins) |























INDOOR UNIT
FLOOR
AGYG09LVCA
AGYG12LVCA
AGYG14LVCA

| Name and Shape | Q'ty |
|--|------|
| Wall hook bracket  | 1 |
| Remote control  | 1 |
| Battery  | 2 |
| Remote control holder  | 1 |
| Cloth tape  | 1 |
| Tapping screw (M4 x 25 mm)  | 9 |
| Tapping screw (M3 x 12 mm)  | 2 |
| Air cleaning filter  | 2 |













INDOOR UNIT
SLIM DUCT
ARYG07LLTA
ARYG09LLTA
ARYG12LLTA
ARYG14LLTA
ARYG18LLTA
ARYG12LLTB
ARYG14LLTB
ARYG18LLTB

| Name and Shape | Q'ty | Application |
|--|-------------|--|
| Installation template  | 1 | For positioning the indoor unit |
| Washer  | 8 | For installing indoor unit |
| Coupler heat insulation (Large)  | 1 | For indoor side pipe joint (Large pipe) |
| Coupler heat insulation (Small)  | 1 | For indoor side pipe joint (Small pipe) |
| Binder  | Medium 3 | For power supply and remote control cable binding. |
| | Large 4 | For fixing the coupler heat insulation. |
| Filter (Small)  | 2 | (ARYG07LLTA ARYG09LLTA ARYG12LLTA, B ARYG14LLTA, B) |
| Filter (Big)  | 2 | (ARYG18LLTA ARYG18LLTB) |
| Drain hose  | 1 | For installing drain pipe 3/4 in. (O.D. 1-1/16 in.) |
| Hose band  | 1 | For installing drain hose |
| Drain hose insulation B  | 1 | Insulates the drain hose |
| Wired remote control  | 1 | |
| Remote control cable  | 1 | For connecting the remote control |
| Tapping screw (M4 × 16 mm)  | 2 | For installing the remote control |

INDOOR UNIT
FLOOR / CEILING
ABYG14LVTA
ABYG18LVTA
ABYG18LVTB

| Name and Shape | Q'ty | Name and Shape | Q'ty |
|--|------|---|------|
| Screw (M4 × 10mm)  | 2 | Installation template  Positioning for under ceiling type | 1 |
| Bracket (left)  For suspending the indoor unit from ceiling | 1 | Bracket (right)  For suspending the indoor unit from ceiling | 1 |
| Cover plate (left)  | 1 | Cover plate (right)  | 1 |
| Special nut  For suspending the indoor unit from ceiling | 4 | Wall bracket  For suspending the indoor unit on the wall | 2 |
| Screw (M4 × 20mm)  For fixing the wall bracket | 6 | Coupler heat insulator (Large)  For indoor side pipe joint (Large pipe) | 1 |
| Coupler heat insulator (Small)  For indoor side pipe joint (Small pipe) | 1 | Binder (Large)  For fixing the drain hose | 1 |
| Binder (Small)  For electrical wiring | 2 | Wire clammer  For electrical wiring | 1 |
| Drain hose  | 1 | Hose Band  For installing drain hose | 1 |
| Insulation (Drain hose)  Adhesive type 100 x 220 mm | 1 | VT wire  For fixing the drain hose L 280 mm | 1 |
| Remote control  For air conditioner operation | 1 | Battery  For remote control | 2 |
| Remote control holder  | 1 | Screw (M3 × 12mm)  For remote control holder installation | 2 |

Models: ASYG07KMCC, ASYG09KMCC, ASYG12KMCC, and ASYG14KMCC

| Part name | Exterior | Q'ty | Part name | Exterior | Q'ty |
|---------------------------|--|------|--------------------------|--|------|
| Operating manual |  | 1 | Remote controller holder |  | 1 |
| Installation manual |  | 1 | Cloth tape |  | 1 |
| Operating manual (CD-ROM) |  | 1 | Tapping screw (Large) |  | 5 |
| Remote controller |  | 1 | Tapping screw (Small) |  | 2 |
| Battery |  | 2 | Wall hook bracket |  | 1 |
| Filter holder |  | 2 | Air cleaning filters |  | 1 |

1101G3867